

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1070150	767 kr.	Power-Pack IP44 Cable reel 10m H07RN-F 3G1,5/ Extension cable 10m H07RN-F 3G1,5/ Power distributor	4007123247448	5,225 kg	85444290	1
1072210	445 kr.	Garant Compact IP44 cable reel 15m H05RR-F 3G1,5	4007123147007	2,422 kg	85444290	1
1072240007	419 kr.	Garant Compact IP44 Cable Reel 15m N05V3V3-F 3G1.5 with thermostat and increased touch protection	4007123628629	2,201 kg	85444290	1
1072244	374 kr.	Garant Compact IP44 Cable Reel 15m AT-N05V3V3-F 3G1,5 *FR*	4007123632329	2,200 kg	85444290	1
1072444	430 kr.	Garant Compact IP44 cable reel 8m H07RN-F 3G2,5 *FR*	4007123149247	2,420 kg	85444290	4
1072500	390 kr.	Brobusta Compact IP44 cable reel for site & professional 10m H07RN-F 3G1,5	4007123147014	2,201 kg	85444290	1
1072544	349 kr.	Brobusta Compact IP44 cable reel for site & professional 10m H07RN-F 3G1,5 *FR*	4007123575480	2,300 kg	85444290	4
1072900	407 kr.	Cable Reel Garant S Compact IP 44 10 mAT-N07V3V3-F 3G1,5	4007123143481	2,327 kg	85444290	1
1072933	358 kr.	Garant® S Compact Cable Reel 15m H05VV-F3G1.5 *GB*	4007123662531	2,520 kg	85444290	1
1078183004	304 kr.	Compact AK 180 cable reel 15m H05VV-F 3G1,5 *GB*	4007123140787	2,430 kg	85444290	4
1078183604	374 kr.	Compact AK 180 cable reel with USB-charger 15m H05VV-F 3G1,5 *GB*	4007123666188	2,178 kg	85444290	4
1078187900	316 kr.	Cable reel AK 180 M 15m H05VV-F3G1.5 3-way sockets	4007123633456	2,430 kg	85444290	4
1079180004	298 kr.	Compact cable reel black 15m H05VV-F 3G1,5	4007123108053	2,151 kg	85444290	1
1079180032	289 kr.	Compact cable reel black 15m H05VV-F 3G1,5	4007123108046	2,152 kg	85444290	32
1079180600	367 kr.	Garant Compact Cable Reel with USB-Charger 15m H05VV-F 3G1.5	4007123661800	2,146 kg	85444290	1
1079184004	323 kr.	Garant Compact Cable Reel 15m H05VV-F 3G1,5 *FR*	4007123100323	2,080 kg	85444290	4
1079184604	384 kr.	Garant Compact Cable Reel with USB-Charger 15m H05VV-F 3G1,5 *FR/BE*	4007123664351	2,250 kg	85444290	4
1079850	443 kr.	Garant Compact IP44 cable reel 15m AT-N05V3V3-F 3G1.5 blue	4007123603466	2,684 kg	85444290	1
1080980	101 kr.	CEE socket 230V/16A IP44 - 1x 230V/16A, 1x 230V CEE 16A 3-pin	4007123654468	0,168 kg	85366990	5
1080990	108 kr.	CEE-Adapter 240V/16A IP44 for earthed socket system	4007123648207	0,140 kg	85366990	1
1080991	109 kr.	CEE-Adapter 240V/16A on FR	3281850809914	0,150 kg	85366990	1
1080993	109 kr.	CEE-Adapter 240V/16A on BS 13A	4007123648221	0,160 kg	85366990	1
1081000	44 kr.	Winding Aid for cable reel, Ø 18mm pipe	4007123642298	0,082 kg	39174000	1
1081010	41 kr.	CEE-Plug 230V/16A IP44	4007123029143	0,130 kg	85366990	5
1081020	48 kr.	CEE-Socket 230V/16A IP44	4007123029150	0,100 kg	85366990	5
1081030	49 kr.	CEE-Plug 400V/16A IP44	4007123029167	0,160 kg	85366990	5
1081040	63 kr.	CEE-Socket 400V/16A IP44	4007123029174	0,180 kg	85366990	5
1081050	79 kr.	CEE-Plug 400V/32A IP44	4007123029181	0,275 kg	85366990	5
1081060	99 kr.	CEE-Socket 400V/32A IP44	4007123029198	0,303 kg	85366990	5
1081070010	85 kr.	4-Way Powerblock 230V/16A IP54	4007123647729	0,335 kg	85444290	1
1081071	87 kr.	4-Way Powerblock 230V/16A IP44 *FR*	3281850810712	0,255 kg	85444290	1
1081071010	97 kr.	4-Way Powerblock 230V/16A IP54 *FR/BE*	3281850710104	0,280 kg	85366990	1
1081080	90 kr.	4-Way socket outlet assembly unit IP20 230V/16A thermostat with control lamp	4007123148363	0,166 kg	85366990	1
1081084	95 kr.	4-Way socket outlet assembly unit IP20 230V/16A thermostat with control lamp *FR*	4007123171279	0,155 kg	85366990	10
1081090	117 kr.	Extension Socket Inlay Mounting Plate 3-Way IP44 thermostat with control lamp	4007123148370	0,254 kg	85366990	1
1081310	178 kr.	CEE-Phase Reverse Plug 400V/16A IP44	4007123029228	0,180 kg	85366990	5
1081320	198 kr.	CEE-Phase Reverse Plug 400V/32A IP44	4007123029235	0,265 kg	85366990	5
1081340	500 kr.	CEE-Plug 400V/63A IP44	4007123670055	0,666 kg	85366990	1
1081350	561 kr.	CEE-Socket 400V/63A IP44	4007123670062	0,807 kg	85366990	1
1081640	331 kr.	Crossover distribution CEE 5-pole IP44	4007123285846	0,785 kg	85366990	1
1081670	428 kr.	Cross distributor CEE 400V/32A	4007123670345	1,045 kg	85366990	1
1081690	125 kr.	CEE adapter CEE 400V/16A to socket outlet with earthing contact 230V/16A	4007123670383	0,205 kg	85366990	1
1082014	332 kr.	Rubber trailing socket 3-way IP 44	4007123152766	0,472 kg	85366990	1
1082040	34 kr.	Heavy Duty Rubber plug 230V/16A IP44	4007123029273	0,100 kg	85366990	10
1082050	56 kr.	Heavy Duty Rubber Coupling 230V/16A IP44	4007123029280	0,120 kg	85366990	10

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1082054	65 kr.	Rubber coupling 230V/16A IP44 *FR*	4007123564873	0,080 kg	85366990	10
1082120	88 kr.	Earthed rubber coupling 3-fold IP44	4007123670291	0,301 kg	85366990	1
1092200	151 kr.	Vario Line Cable Box 4-way black/light grey 5m H05VV-F 3G1,5	4007123042166	0,915 kg	85444290	5
1092234	167 kr.	Vario-Line Cable Box 4-way black/blue/lightgrey 5m H05VV-F 3G1,5 *FR*	4007123110391	0,830 kg	85444290	5
1093200	212 kr.	Vario Line Cable Box 4-way black/light grey 10m H05VV-F 3G1,5	4007123042180	1,536 kg	85444290	2
1093200600	281 kr.	Vario-Line Cable Box with USB-Charger black 10m H05VV-F 3G1.5	4007123661763	1,451 kg	85444290	2
1093203	228 kr.	Vario-Line Cable Box 3-way black 10m H05VV-F3G1,5 *GB*	4007123641482	1,530 kg	85444290	5
1093204600	275 kr.	Vario-Line Cable Box with USB-Charger black 10m H05VV-F 3G1.5 *FR/BE*	4007123664245	1,451 kg	85444290	2
1093230	212 kr.	Vario Line Cable Box 4-way black/blue/light grey 10m H05VV-F 3G1,5	4007123094806	1,536 kg	85444290	2
1094200	298 kr.	Vario Line Cable Box 4-way black/light grey 15m H05VV-F 3G1,5	4007123042203	2,190 kg	85444290	2
1094203	308 kr.	Vario-Line Cable Box 3-way black 15m H05VV-F3G1,5 *GB*	4007123641468	2,140 kg	85444290	5
1095450	243 kr.	Primera-Line Cable Box 4-way black/light grey 10m H05VV-F 3G1.5	4007123596737	1,870 kg	85444290	2
1095453	266 kr.	Primera-Line Cable Box 3-way black/lightgrey 10m H05VV-F 3G1,5 *GB*	4007123598212	1,761 kg	85444290	2
1095454	251 kr.	Primera-Line Cable Box 4-way black/lightgrey 10m H05VV-F3G1,5 *FR*	4007123603565	1,870 kg	85444290	2
1095650	237 kr.	Primera-Line Cable Box-S with switch black/light grey 10m H05VV-F 3G1.5	4007123619474	1,890 kg	85444290	2
1098203	164 kr.	Vario Line Cable Box 3-way black/blue 5m H05VV-F 3G1,5 *GB*	4007123133048	0,880 kg	85444290	5
1098207900	170 kr.	Vario-Line VL-LM Cable Box 3 ways black/blue 5m H05VV-F 3G1.5	4007123632879	0,880 kg	85444290	5
1098253001	440 kr.	Standard AK 260 cable reel 25m H05VV-F 3G1,5 *GB*	4007123140817	3,790 kg	85444290	1
1098413001	767 kr.	Standard AK 260 cable reel 50m H05VV-F 3G1,5 *GB*	4007123147540	6,172 kg	85444290	1
1098530001	367 kr.	Garant IP44 cable reel 20m H05VV-F 3G1.5	4007123667529	3,200 kg	85444290	1
1098540001	583 kr.	Garant IP44 cable reel 40m H05VV-F 3G1.5	4007123667536	5,300 kg	85444290	1
1098550001	488 kr.	Garant® G IP 44 Garden Cable Reel 23+2m H05VV-F3G1.5	4007123667550	3,880 kg	85444290	1
1098560001	649 kr.	Garant® G IP 44 Garden Cable Reel 38+2m H05VV-F3G1.5	4007123670185	5,480 kg	85444290	1
1098743	526 kr.	Standard AK 260 110V CEE 2 cable reel 25m H05VV-F 3G1,5	4007123141067	4,280 kg	85444290	1
1098783	828 kr.	Standard AK 260 110V CEE 2 cable reel 50m H05VV-F3G1,5	4007123616046	6,380 kg	85444290	1
1099074	768 kr.	cable reel AK 260 25m H07RN-F3G2.5 grey	4007123564743	6,600 kg	85444290	1
1099144	483 kr.	Cable reel AK 260 40 m H05VV-F 3G1,5 27 pcs./pallet	4007123045914	5,700 kg	85444290	27
1099144130	554 kr.	Cable reel AK 260 40 m H05VV-F 3G1,5	4007123212194	5,700 kg	85444290	1
1099154	340 kr.	Cable reel 25m H05VV-F 3G1.5 zwart 27 pieces on pallet	4007123251421	4,000 kg	85444290	27
1099154130	392 kr.	Cable reel AK 260 25 m H05VV-F 3G1.5	4007123045907	3,954 kg	85444290	1
1104154	294 kr.	Vario Line Cable Box 4-way black/blue 15m H05VV-F 3G1,5 *FR*	4007123042043	2,050 kg	85444290	5
1104464	213 kr.	Vario Line Cable Box 4-way black/blue/light grey 10m H05VV-F 3G1,5 *FR*	4007123042036	1,510 kg	85444290	2
1108203	311 kr.	Vario Line Cable Box 3-way black/grey 20m H05VV-F 3G1,0 *GB*	4007123142019	2,200 kg	85444290	5
1108553	197 kr.	Vario Line cable box 3-fach black/lightgrey 10m H05VV-F 3G1,0 *GB*	4007123147595	1,320 kg	85444290	5
1108563	228 kr.	Vario Line Cable Box 3-way black/blue 10m H05VV-F 3G1,5 *GB*	4007123140831	1,480 kg	85444290	5
1108563600	297 kr.	Vario-Line Cable Box with USB-Charger blue 10m H05VV-F 3G1.5	4007123666157	1,578 kg	85444290	5
1108567900	231 kr.	Vario-Line VL-XM Cable Box 3 ways black/blue 10m H05VV-F 3G1.5	4007123632893	1,530 kg	85444290	5
1108903	307 kr.	Vario Line Cable Box 3-way blackblue 15m H05VV-F 3G1,5 *GB*	4007123140848	2,140 kg	85444290	5
1109220	122 kr.	Comfort-Line Cable Box CL-S 4-way black/white 3m H05VV-F 3G1,5	4007123033751	0,630 kg	85444290	4
1109220600	191 kr.	Comfort-Line Cable Box with USB-Charger black/white 3m H05VV- F3G1.5	4007123661770	0,601 kg	85444290	4
1109223	133 kr.	Comfort-Line Cable Box CL-S 3-way black/white 3m H05VV-F 3G1,5 *GB*	4007123637195	0,630 kg	85444290	4
1109223600	202 kr.	Comfort-Line Cable Box with USB-Charger black/white 3m H05VV- F3G1.5 *GB*	4007123666164	0,644 kg	85444290	4
1109224	122 kr.	Comfort-Line Cable Box CL-S 4-way black/white 3m H05VV-F 3G1,5 *FR*	4007123047802	0,630 kg	85444290	4
1109224600	186 kr.	Comfort-Line Cable Box with USB-Charger black/white 3m H05VV- F3G1.5 *FR/BE*	4007123664344	0,630 kg	85444290	4
1109230	109 kr.	Comfort-Line Cable Box CL-S 4-way black/blue 3m H05VV-F 3G1,5	4007123043736	0,630 kg	85444290	4

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1109233	133 kr.	Comfort-Line Cable Box CL-S 3-way black/blue 3m H05VV-F 3G1,5 *GB*	4007123641505	0,630 kg	85444290	4
1118208501	258 kr.	Vario Line Cable Box 4-way black 20m H05VV-F 2x1,0 *DK*	4007123064168	1,860 kg	85444290	5
1127010	416 kr.	Compressor hose reel Anti Twist 20m Hose-Ø 6/12mm Fittings DIN	4007123001385	3,300 kg	39173300	1
1127020	305 kr.	Compressor hose reel Standard 20m Hose-Ø 6/12mm Fittings DIN	4007123001392	3,320 kg	39173300	1
1127022	308 kr.	Compressor hose reel Standard 20m Hose-Ø 6/12mm Fittings Orion	4007123003143	3,580 kg	39173300	1
1127030	470 kr.	Compressor hose reel Anti Twist 20m Hose-Ø 9/15mm Fittings DIN	4007123002481	4,420 kg	39173300	1
1127033	511 kr.	Compressor hose reel Anti Twist 20m Hose-Ø 9/15mm Fittings PCL	4007123091447	4,380 kg	39173300	1
1127043	430 kr.	Compressor hose reel Standard 20m Hose-Ø 9/15mm Fittings PCL	4007123091454	4,400 kg	39173300	1
1130710	166 kr.	Garant Storage Reel - Empty Reel-Ø 290mm	4007123000647	1,360 kg	85369095	1
1131953	895 kr.	Garant 110V CEE 2 cable reel 25m H05VV-F 3G2.5	4007123059805	6,040 kg	85444290	1
1132910	121 kr.	Adapter Cable IP44 1,5m black H07RN-F 3G1,5 CEE-Socket 230V/16A	4007123001521	0,440 kg	85444290	1
1132910025	124 kr.	Adapter Cable IP44 1,5m orange H07RN-F 3G2.5 earthed plug, CEE socket 230V/16A	4007123673827	0,560 kg	85444290	1
1132910525	159 kr.	Adapter Cable IP44 1.5m orange H07RN-F 3G2.5 earthed plug, angled socket 230V/16A	4007123673841	0,580 kg	85444290	1
1132920	136 kr.	Adapter Cable IP44 1,5m black H07RN-F 3G1,5 CEE Plug 230V/16A	4007123001538	0,520 kg	85444290	1
1132920025	141 kr.	Adapter Cable IP44 1,5m orange H07RN-F 3G2,5 earthed plug, CEE socket 230V/16A	4007123673834	0,590 kg	85444290	1
1132920525	177 kr.	Adapter Cable IP44 1.5m orange H07RN-F 3G2.5 CEE plug, angled socket 230V/16A	4007123673858	0,610 kg	85444290	1
1132960	140 kr.	Adapter Cable IP44 1.5m black H07RN-F 3G1.5 CEE plug 400V/16A	4007123048854	0,480 kg	85444290	1
1138873	900 kr.	Garant 110V CEE 2 cable reel 50m H05VV-F 3G1,5	4007123140879	7,190 kg	85444290	1
1141740	424 kr.	Garant G garden cable reel 25m H05VV-F 3G1,5	4007123090907	3,720 kg	85444290	1
1141743015	591 kr.	Cable Reel Garant-G 240 25m H05VV-F3G1.5 blue with thermostat *GB*	4007123656400	3,720 kg	85444290	1
1148370	625 kr.	Garant G IP44 garden cable reel 23 +2m AT-N05V3V3-F 3G1,5	4007123093984	4,520 kg	85444290	1
1148773	603 kr.	Garant 110V CEE 2 cable reel 25m H05VV-F 3G1,5	4007123140909	4,130 kg	85444290	1
1148853	643 kr.	Garant Bretec 110V CEE 2 cable reel 25m H05VV-F 3G1,5	4007123140923	4,460 kg	85444290	1
1150010	40 kr.	10 A Fuse	4007123171262	0,028 kg	85361010	1
1150020010	240 kr.	brennenstuhl@estilo charging station with textile surface 1xEuro-socket and 2xUSB-Charger black/anthracite	4007123669165	0,350 kg	85444290	1
1150070	139 kr.	Clampable extension socket 3-way 3m H05VV-F 3G1.5 white/anthracite	4007123667338	0,760 kg	85444290	2
1150090	101 kr.	ALEA-Power socket block 4-way, 1.4m H05VV-F 3G1.5	4007123648283	0,435 kg	85444290	1
1150100	147 kr.	ALEA-Power USB-Charger Socket block 4-way, 1.4m H05VV-F 3G1.5	4007123648252	0,460 kg	85444290	1
1150101	143 kr.	ALEA-Power USB-Charger Socket block 4-way, 1.4m H05VV-F 3G1.5 *FR/BE*	3281851501015	0,455 kg	85444290	1
1150103	172 kr.	ALEA-Power USB-Charger Socket block 3-way, 3m H05VV-F 3G1.5 *GB*	4007123648276	0,635 kg	85444290	1
1150290	198 kr.	brennenstuhl@estilo sofa socket with charging function 1xEuro-socket and 2xUSB-Charger anthracite/grey	4007123669417	0,337 kg	85444290	1
1150403	78 kr.	Eco-Line extension socket 4-way black 1,5m 05VV-F 3G1,25 *GB*	4007123059683	0,373 kg	85444290	8
1150423	78 kr.	Eco-Line 4-way white 1.5m 05VV-F 3G1.25	4007123212200	0,373 kg	85444290	8
1150480400	328 kr.	Premium-Line 26000A extension socket with surge protection 6-way black/light grey 1.8m H05VV-F 3G1.5	4007123649822	0,810 kg	85444290	1
1150610304	172 kr.	hugo! 19.500A extension socket with surge protection 4-way white/black 2m H05VV-F 3G1.5	4007123618330	0,800 kg	85444290	1
1150610314	206 kr.	hugo! 19.500A extension socket with surge protection 4-way anthracite 2m H05VV-F 3G1.5	4007123618293	0,800 kg	85444290	1
1150610318	285 kr.	hugo! 19.500A extension socket with surge protection 8-way anthracite 2m H05VV-F 3G1.5	4007123618699	1,150 kg	85444290	1
1150610324	206 kr.	hugo! 19.500 A extension socket with surge protection 4-way white 2m H05VV-F 3G1.5	4007123618279	0,800 kg	85444290	1
1150610328	285 kr.	hugo! 19.500A extension socket with surge protection 8-way white 2m H05VV-F 3G1.5	4007123618675	1,150 kg	85444290	1
1150610384	206 kr.	hugo! 19.500A extension socket with surge protection 4-way blue 2m H05VV-F 3G1.5	4007123618217	0,800 kg	85444290	1
1150610388	285 kr.	hugo! 19.500A extension socket with surge protection 8-way blue 2m H05VV-F 3G1.5	4007123618613	1,150 kg	85444290	1
1150613118	188 kr.	hugo! extension socket 8-way anthracite 3m 05VV-F3G1,25 *GB*	4007123620586	1,087 kg	85444290	2
1150613138	148 kr.	hugo! extension socket 8-way violet 3m 05VV-F3G1,25 *GB*	4007123620494	1,087 kg	85444290	2
1150613174	120 kr.	hugo! extension socket 4-way rubin red 2m 05VV-F3G1,25 *GB*	4007123620265	0,700 kg	85444290	2
1150613178	188 kr.	hugo! extension socket 8-way rubin-red 3m 05VV-F3G1,25 *GB*	4007123620524	1,087 kg	85444290	2



Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1150613198	148 kr.	hugo! extension socket 8-way green 3m 05VV-F3G1,25 *GB*	4007123620432	1,087 kg	85444290	2
1150613318	302 kr.	hugo! extension socket with surge protection 19.500A 8-way anthracite 3m 05VV-F3G1,25 *GB*	4007123620678	1,121 kg	85444290	1
1150613328	302 kr.	hugo! extension socket with surge protection 19.500A 8-way white 3m 05VV-F3G1,25 *GB*	4007123620647	1,121 kg	85444290	1
1150613374	136 kr.	hugo! extension socket with surge protection 19.500A 4-way rubin red 2m 05VV-F3G1,25 *GB*	4007123620340	0,835 kg	85444290	1
1150613378	229 kr.	hugo! extension socket with surge protection 19.500A 8-way rubin-red 3m 05VV-F3G1,25 *GB*	4007123620616	1,121 kg	85444290	1
1150614134	76 kr.	hugo! Multi-ways extension 4 way violet 2m H05VV-F3G1,5 *B*	4007123622610	0,805 kg	85444290	2
1150614314	177 kr.	hugo! 19.500A extension socket with surge protection 4-way anthracite 2m H05VV-F 3G1.5 *FR*	4007123622726	0,805 kg	85444290	1
1150614324	177 kr.	hugo! 19.500A extension socket with surge protection 4-way white 2m H05VV-F 3G1.5 *FR*	4007123622719	0,805 kg	85444290	1
1150623444	59 kr.	Extension socket with neon indicator 4-way white 2m 05VV-F 3G1,25 *GB*	4007123173396	0,360 kg	85444290	20
1150623454	95 kr.	4-way extension socket with neon indicator white 5m 05VV-F 3G1,25 *GB*	4007123173402	0,667 kg	85444290	20
1150650114	85 kr.	Bremounta Extension Socket 4-way black 1.5m H05VV-F 3G1.5	4007123643219	0,438 kg	85444290	4
1150650124	85 kr.	Bremounta Extension Socket 4-way white 1.5m H05VV-F 3G1.5	4007123643233	0,438 kg	85444290	4
1150650316	114 kr.	Bremounta Extension Socket 6-way black 3m H05VV-F 3G1.5	4007123643264	0,684 kg	85444290	4
1150650326	114 kr.	Bremounta Extension Socket 6-way white 3m H05VV-F 3G1.5	4007123643288	0,684 kg	85444290	4
1150651124	79 kr.	Bremounta Extension Socket 4-way white 1.5m H05VV-F 3G1.5 with switch *FR/BE*	3281856511248	0,475 kg	85444290	4
1150651326	113 kr.	Bremounta Extension Socket 6-way white 3m H05VV-F 3G1.5 with switch *FR/BE*	3281856513266	0,705 kg	85444290	4
1150660315	177 kr.	Bremounta Extension Socket with USB-Charger 5-way black 3m H05VV-F 3G1.5	4007123657025	0,673 kg	85444290	1
1150660325	177 kr.	Bremounta Extension Socket with USB-Charger 5-way white 3m H05VV-F 3G1.5	4007123656752	0,673 kg	85444290	1
1150704	65 kr.	Eco-Line with switch 3 x *FR*, 4 x Euro black 1,5 m H05VV-F 3G1,5 *FR*	4007123080854	0,470 kg	85444290	1
1150754	65 kr.	Eco-Line with switch 3 x *FR*, 4 x Euro grey 1,5 m H05VV-F 3G1,5 *FR*	4007123080861	0,470 kg	85444290	1
1151160100	522 kr.	Compressed air Pendulum Power distributor PSV D 4/1 5m H05VV-F3G1.5	4007123671359	2,160 kg	85444290	1
1151413	409 kr.	Energy Station CEE 4 socket 4x 110V/16A *GB*	4007123014057	1,500 kg	85444290	2
1151600010	397 kr.	Energy Station CEE 1 IP44 plug 400V/16A sockets 1x CEE 400V/16A+3x 230V/16A	4007123667604	1,390 kg	85444290	1
1151600020	430 kr.	Energy Station CEE 1 IP44 plug 400V/16A sockets 1x CEE 400V/16A+3x 230V/16A	4007123670178	1,505 kg	85444290	1
1151600040	420 kr.	Energy station 2xCEE230V/16A, 3x230V 1,5m H07RN-F3G2.5 with earthed socket	4007123673810	1,250 kg	85444290	1
1151608501	403 kr.	Energy Station CEE 1 IP44 *DK*	4007123093458	1,420 kg	85444290	3
1151734010	289 kr.	Heavy-duty rubber cable IP54 with Powerblock 5m black H07RN-F 3G2.5 *FR/BE*	4007123667376	1,598 kg	85444290	1
1151740010	309 kr.	Heavy-duty rubber cable IP54 with Powerblock 10m black H07RN-F 3G1.5	4007123647767	1,882 kg	85444290	1
1151760	290 kr.	Extension cable with Hanging Workshop power distributor	4007123048472	1,527 kg	85444290	1
1151763	319 kr.	Extension cable with hanging workshop power distributor *GB*	4007123049325	1,510 kg	85444290	1
1151960010	462 kr.	CEE Hanging Workshop power distributor IP44 5m H07RN-F 5G1.5	4007123667635	2,500 kg	85444290	1
1152300015	55 kr.	Eco-Line extension socket with switch 3-way black 1,5m H05VV-F 3G1,5	4007123249336	0,375 kg	85444290	12
1152300400	76 kr.	Eco-Line extension socket with switch 3-way black 3m H05VV-F 3G1,5	4007123101276	0,519 kg	85444290	10
1152304	55 kr.	Eco-Line extension socket with switch 3-way black 1,5m H05VV-F 3G1,5 *FR*	4007123080830	0,400 kg	85444290	12
1152304130	67 kr.	Eco-Line extension socket with switch 3-way black 3m H05VV-F 3G1,5 *FR*	4007123633197	0,400 kg	85444290	12
1152320015	55 kr.	Eco-Line extension socket with switch 3-way white 1,5m H05VV-F 3G1,5	4007123249343	0,358 kg	85444290	12
1152320400	76 kr.	Eco-Line extension socket with switch 3-way white 3m H05VV-F 3G1,5	4007123101290	0,525 kg	85444290	10
1152324	55 kr.	Eco-Line extension socket with switch 3-way white 1,5m H05VV-F 3G1,5 *FR*	4007123609741	0,357 kg	85444290	12
1152340015	55 kr.	Eco-Line extension socket with switch 3-way silver grey 1,5m H05VV-F 3G1,5	4007123251681	0,371 kg	85444290	12
1152350015	55 kr.	Eco-Line extension socket with switch 3-way lightgrey 1,5m H05VV-F 3G1,5	4007123249350	0,356 kg	85444290	12
1152354	43 kr.	Eco-Line extension socket with switch 3-way lightgrey 1,5m H05VV-F 3G1,5 *FR*	4007123080847	0,400 kg	85444290	1
1152704	75 kr.	Eco-Line extension socket black 6-way 1,5m H05VV-F 3G1.5 *FR/BE*	4007123667598	0,430 kg	85444290	8
1152900	103 kr.	Eco-Line extension socket with switch 3-way black 5m H05VV-F 3G1,5	4007123081561	0,729 kg	85444290	10
1152920	103 kr.	Eco-Line extension socket with switch 3-way white 5m H05VV-F 3G1,5	4007123081578	0,736 kg	85444290	10
1153100100	93 kr.	Comfort Line Plus Extension Socket With Flat Plug 4-way black 2m H05VV-F 3G1.5	4007123641062	0,503 kg	85444290	4

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1153110116	221 kr.	Extension socket individually switchable 6-way 2m H05VV-F 3G1.5 black	4007123667482	0,950 kg	85444290	1
1153110126	221 kr.	Extension socket individually switchable 6-way 2m H05VV-F 3G1.5 white	4007123667499	0,950 kg	85444290	1
1153120100	93 kr.	Comfort Line Plus Extension Socket With Flat Plug 4-way white 2m H05VV-F 3G1,5	4007123641048	0,497 kg	85444290	4
1153230000	63 kr.	Ecolor Extension Socket 3-way black 1.5m H05VV-F 3G1.5	4007123647880	0,354 kg	85444290	8
1153230020	63 kr.	Ecolor Extension Socket 3-way white/black 1.5m H05VV-F 3G1.5	4007123647545	0,354 kg	85444290	8
1153230070	63 kr.	Ecolor Extension Socket 3way red/black with switch	4007123643172	0,354 kg	85444290	8
1153230620	256 kr.	brennenstuhl@Connect Ecolor WiFi extension socket 3-way white/black	4007123665310	0,500 kg	85444290	1
1153233000	70 kr.	Ecolor Extension Socket 3-way 1.5m H05VV-F 3G1.5 black/black with switch *GB*	4007123651405	0,375 kg	85444290	8
1153233020	70 kr.	Ecolor Extension Socket 3-way 1.5m H05VV-F 3G1.5 white/black with switch *GB*	4007123644230	0,376 kg	85444290	8
1153233070	60 kr.	Ecolor Extension Socket 3-way 1.5m H05VV-F 3G1.5 red/black with switch *GB*	4007123651412	0,375 kg	85444290	8
1153233320	94 kr.	Ecolor extension socket 3-way white/black 3m H05VV-F3G1,5 *GB*	4007123655458	0,524 kg	85444290	8
1153233329	94 kr.	Ecolor extension socket 3-way white/green 3m H05VV-F3G1,5 *GB*	4007123657452	0,354 kg	85444290	8
1153234020	60 kr.	Ecolor Extension Socket 3-way white/black 1.5m H05VV-F 3G1.5 *FR/BE*	4007123667574	0,371 kg	85444290	8
1153240000	70 kr.	Ecolor Extension Socket 4-way black 1.5m H05VV-F 3G1.5	4007123647873	0,375 kg	85444290	8
1153240006	129 kr.	Extension Socket Ecolor with USB-Charger 4way black/black 1.5m H05VV-F 3G1.5 with switch	4007123654796	0,444 kg	85444290	4
1153240020	70 kr.	Ecolor Extension Socket 4-way white/black 1.5m H05VV-F 3G1.5	4007123647538	0,375 kg	85444290	8
1153240026	129 kr.	Extension Socket Ecolor with USB-Charger 4way white/black 1.5m H05VV-F 3G1.5 with switch	4007123654789	0,444 kg	85444290	4
1153240070	70 kr.	Ecolor Extension Socket 4-way red/black 1.5m H05VV-F 3G1.5	4007123643189	0,375 kg	85444290	8
1153240076	129 kr.	Extension Socket Ecolor with USB-Charger 4way red/black 1.5m H05VV-F 3G1.5 with switch	4007123654802	0,444 kg	85444290	4
1153243006	178 kr.	Ecolor FB Extension Socket With USB-Charger and Safety Fuse Button 13A SASO 4-way 2xUSB 3m H05VV-	4007123654918	0,672 kg	85444290	4
1153243026	178 kr.	Ecolor FB Extension Socket With USB-Charger and Safety Fuse Button 13A SASO 4-way 2xUSB 3m H05VV-	4007123654901	0,672 kg	85444290	4
1153243029	178 kr.	Extension Socket Ecolor with USB 4-ways white/green 1,5m H05VV-F3G1,5 *GB*	4007123662302	0,672 kg	85444290	4
1153244006	129 kr.	Extension Socket Ecolor with USB-Charger 4way black/black 1.5m H05VV-F 3G1.5 with switch *FR*	4007123656639	0,426 kg	85444290	4
1153244026	129 kr.	Extension Socket Ecolor with USB-Charger 4-way white/black 1.5m H05VV-F 3G1.5 with switch *BE*	4007123656622	0,426 kg	85444290	4
1153250000	75 kr.	Ecolor Extension Socket 5-way black 1.5m H05VV-F 3G1.5	4007123647897	0,427 kg	85444290	8
1153250020	75 kr.	Ecolor Extension Socket 5-way white/black 1.5m H05VV-F 3G1.5	4007123647552	0,427 kg	85444290	8
1153250070	65 kr.	Ecolor Extension Socket 5-way red/black 1.5m H05VV-F 3G1.5	4007123643196	0,427 kg	85444290	8
1153253000	98 kr.	Ecolor FB Extension Socket With Safety Fuse Button 5-way 1.5m H05VV-F 3G1.5 black/black with switch	4007123651399	0,528 kg	85444290	8
1153253020	98 kr.	Ecolor FB Extension Socket With Safety Fuse Button 5-way 1.5m H05VV-F 3G1.5 white/black with switch	4007123644261	0,528 kg	85444290	8
1153253070	86 kr.	Ecolor FB Extension Socket With Safety Fuse Button 5-way 1.5m H05VV-F 3G1.5 red/black with switch *GB*	4007123651429	0,528 kg	85444290	8
1153253320	118 kr.	Ecolor extension socket 5-way 3m H05VV-F 3G1.5 white/black with switch and safety fuse button *GB*	4007123655465	0,667 kg	85444290	8
1153253329	118 kr.	Ecolor extension socket 5-way white/green 3m H05VV-F3G1,5 *GB*	4007123657469	0,528 kg	85444290	8
1153254020	74 kr.	Ecolor Extension Socket 5-way white/black 1.5m H05VV-F 3G1.5 *FR/BE*	4007123667581	0,437 kg	85444290	8
1153260000	83 kr.	Ecolor Extension Socket 6-way black 1.5m H05VV-F 3G1.5	4007123647903	0,460 kg	85444290	8
1153260020	83 kr.	Ecolor Extension Socket 6-way white/black 1.5m H05VV-F 3G1.5	4007123647569	0,460 kg	85444290	8
1153260070	70 kr.	Ecolor Extension Socket 6-way red/black 1.5m H05VV-F 3G1.5	4007123643202	0,460 kg	85444290	8
1153300100	109 kr.	Comfort Line Plus Extension Socket With Flat Plug 6-way black 2m H05VV-F 3G1.5	4007123641086	0,626 kg	85444290	4
1153300120	193 kr.	Primera-Line extension socket 10-way black 2m H05VV-F 3G1,5 each 5 sockets switched	4007123211210	0,801 kg	85444290	2
1153300124	112 kr.	Primera-Line extension socket 4-way black 1,5m H05VV-F 3G1,5	4007123211173	0,500 kg	85444290	2
1153300128	167 kr.	Primera-Line extension socket 8-way black 2m H05VV-F 3G1,5	4007123211197	0,732 kg	85444290	2
1153300456	218 kr.	Primera-Tec 19.500A Extension Socket With Surge Protection 6-way black 2m H05VV-F 3G1,5	4007123636389	0,950 kg	85444290	1
1153300467	399 kr.	Primera-Tec Comfort Switch Plus 19.500A Extension Socket With Surge Protection 7-way black 2m H05VV-	4007123636549	1,230 kg	85444290	1
1153300477	365 kr.	Primera-Tec DigiMaster 19.500A extension socket with surge protection 7-way black 2m H05VV-F 3G1,5	4007123636402	1,125 kg	85444290	1
1153303120	202 kr.	Primera-Line extension socket 10-way black 2m 05VV-F 3G1,25 each 5 sockets switched *GB*	4007123214358	0,712 kg	85444290	4
1153303128	174 kr.	Primera-Line extension socket 8-way black 2m 05VV-F 3G1,25 *GB*	4007123214396	0,705 kg	85444290	4

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1153304028	148 kr.	Primera-Line extension socket 8-way black 2m H05VV-F 3G1,5 *FR/BE*	4007123667505	0,765 kg	85444290	2
1153304120	193 kr.	Primera-Line extension socket 10-way black 2m H05VV-F 3G1,5 each 5 sockets switched *FR*	4007123214365	0,780 kg	85444290	2
1153304124	101 kr.	Primera-Line extension socket 4-way black 1,5m H05VV-F 3G1,5 *FR*	4007123214389	0,472 kg	85444290	2
1153320100	109 kr.	Comfort Line Plus Extension Socket With Flat Plug 6-way white 2m H05VV-F 3G1.5	4007123641109	0,626 kg	85444290	4
1153340115	174 kr.	Super-Solid-Line extension socket 5-way silver 2,5m H05VV-F 3G1,5	4007123174102	0,800 kg	85444290	1
1153340118	224 kr.	Super-Solid Line extension socket 8-way silver 2,5m H05VV-F 3G1,5	4007123174119	0,977 kg	85444290	1
1153340315	250 kr.	Super-Solid 13.500A extension socket with surge protection 5-way silver 2,5m H05VV-F 3G1,5	4007123174225	0,917 kg	85444290	1
1153340318	305 kr.	Super-Solid 13.500A extension socket with surge protection 8-way silver 2,5m H05VV-F 3G1,5	4007123174232	1,126 kg	85444290	1
1153343215	148 kr.	Super-Solid Line extension socket 5-way black/ light grey 2,5m 05VV-F 3G125 *GB*	4007123596102	0,790 kg	85444290	1
1153343625	186 kr.	Super-Solid-Line FB Extension Socket with Safety Fuse Button 5-way 2,5m H05VV-F 3G1,5 black/light grey	4007123642977	0,803 kg	85444290	1
1153343628	235 kr.	Super-Solid-Line FB Extension Socket with Safety Fuse Button 8-way 2,5m H05VV-F 3G1,5 black/light grey	4007123642984	1,037 kg	85444290	1
1153344115	170 kr.	Super-Solid-Line extension socket 5-way silver 2,5m H05VV-F 3G1,5 *FR*	4007123174027	0,800 kg	85444290	1
1153344118	220 kr.	Super-Solid Line extension socket 8-way silver 2,5m H05VV-F 3G1,5 *FR*	4007123174034	0,977 kg	85444290	1
1153344315	225 kr.	Super-Solid 13.500A extension socket with surge protection 5-way silver 2,5m H05VV-F 3G1,5 *FR*	4007123174140	0,884 kg	85444290	4
1153344318	282 kr.	Super-Solid 13.500A extension socket with surge protection 8-way silver 2,5m H05VV-F 3G1,5 *FR*	4007123174157	1,014 kg	85444290	4
1153380115	172 kr.	Super-Solid-Line extension socket 5-way black 2.5m H05VV-F 3G1.5	4007123602407	0,788 kg	85444290	1
1153380118	224 kr.	Super-Solid Line extension socket 8-way black 2.5m H05VV-F 3G1.5	4007123602421	0,954 kg	85444290	1
1153380315	250 kr.	Super-Solid surge protection 13.500 A 5-way black 2,5 m H05VV-F 3G1,5	4007123602445	0,913 kg	85444290	1
1153380318	305 kr.	Super-Solid surge protection 13.500 A 8-way black 2,5 m H05VV-F 3G1,5	4007123602469	1,126 kg	85444290	1
1153390120	193 kr.	Primera-Line extension socket 10-way silver 2m H05VV-F 3G1,5 each 5 sockets switched	4007123211227	0,763 kg	85444290	2
1153390124	113 kr.	Primera-Line extension socket 4-way silver 1,5m H05VV-F 3G1,5	4007123211180	0,472 kg	85444290	2
1153390128	167 kr.	Primera-Line extension socket 8-way silver 2m H05VV-F 3G1,5	4007123211203	0,705 kg	85444290	2
1153393120	202 kr.	Primera-Line extension socket 10-way silver 2m 05VV-F 3G1,25 each 5 sockets switched *GB*	4007123214419	0,730 kg	85444290	4
1153393128	174 kr.	Primera-Line extension socket 8-way silver 2m 05VV-F 3G1,25 *GB*	4007123214457	0,705 kg	85444290	4
1153394028	150 kr.	Primera-Line extension socket 10-way silver 2m H05VV-F 3G1,5 *FR/BE*	4007123667512	0,765 kg	85444290	2
1153394120	198 kr.	Primera-Line extension socket 10-way silver 2m H05VV-F 3G1,5 each 5 sockets switched *FR*	4007123214426	0,800 kg	85444290	2
1153394124	105 kr.	Primera-Line extension socket 4-way silver 1,5m H05VV-F 3G1,5 *FR*	4007123214440	0,485 kg	85444290	2
1153394128	150 kr.	Primera-Line extension socket 8-way silver 2m H05VV-F 3G1,5 *FR*	4007123214464	0,705 kg	85444290	2
1153500222	210 kr.	Desktop-Power USB-Charger with 2x USB-2.0 charger 2100mA 2-way socket, black polished 1.8m H05VV-F	4007123632244	0,540 kg	85444290	2
1153520222	210 kr.	Desktop-Power USB-Charger with 2x USB-2.0 charger 2100mA 2-way socket, white polished 1.8m H05VV-F	4007123632923	0,540 kg	85444290	2
1153540	77 kr.	Desktop-Power 2-way silver 1,8m H05VV-F 3G1,5	4007123174263	0,468 kg	85444290	2
1153540134	330 kr.	Desktop-Power with switch and USB-Hub 2.0 4-way silver 1,8m H05VV-F 3G1,5	4007123213917	0,855 kg	85444290	1
1153541134	286 kr.	Desktop-Power with switch and USB-Hub 2.0 4-way silver 1,8m H05VV-F 3G1,5 *FR*	3281855411341	0,858 kg	85444290	2
1153543134	312 kr.	Desktop-Power 13.500 A Surge Protected Socket with USB-Hub 2.0 Splitter 4-way black 1,8m 05VV-F	4007123213931	0,868 kg	85444290	1
1153590410	351 kr.	brennenstuhl@estilo corner socket strip with USB charging function 4-way 2x earthed sockets & 2x	4007123668076	0,622 kg	85444290	1
1153590420	351 kr.	brennenstuhl@estilo corner socket strip with USB charging function 4-way 2x earthed sockets & 2x	4007123668083	0,622 kg	85444290	1
1153650	713 kr.	Small Energy Station BKV 2/4 T IP44	4007123075522	1,845 kg	85444290	1
1153654	1.137 kr.	Small Energy Station BKV 2/4 T IP44 *FR*	4007123079544	3,240 kg	85444290	1
1153661006	3.085 kr.	Compact Power Distributor BDT 6M/16 IP44 *FR*	3281856610064	3,720 kg	85444290	1
1153680100	561 kr.	Compact Power DistributorBSV 3 LS E/16 2 IP44 1m H07RN-F 5G1.5 3xCEE400V + 3x230V	4007123654482	1,630 kg	85444290	1
1153690200	1.489 kr.	Compact Power Distributor BSV 3 FI/16 2 IP44 2m H07RN-F 5G2.5 - 2xCEE16A, 5x230V	4007123654475	3,640 kg	85444290	1
1153690400	1.694 kr.	Compact Power DistributorBSV 3/32 2 IP44 2m H07RN-F 5G4.0 - 2xCEE16A, 1xCEE 32A, 4x230V	4007123654499	4,360 kg	85444290	1
1153690600	1.673 kr.	Compact Rubber Power Distributor BSV 3 FI/16-7 IP44 2m H07RN-F5G2.5	4007123662326	3,490 kg	85444290	1
1153750	791 kr.	Small Energy Station BKV 2/4 G IP44	4007123075539	2,900 kg	85444290	1
1153904314	141 kr.	Eco-Line 13.500A extension socket with surge protection 4-way anthracite 1,5m H05VV-F 3G1,5 *FR*	4007123091744	0,518 kg	85444290	4



Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1153954314	<b>141 kr.</b>	Eco-Line 13.500A extension socket with surge protection 4-way light grey 1,5m H05VV-F 3G1,5 *FR*	4007123091720	0,518 kg	85444290	4
1154430	<b>117 kr.</b>	Socket outlet with earth rod IP44 2-way 1,4m H07RN-F 3G1,5	4007123609178	0,675 kg	85444290	1
1154440	<b>175 kr.</b>	Socket outlet with earth rod IP44 4-way 1,4m H07RN-F 3G1,5	4007123609185	0,825 kg	85444290	1
1154444	<b>174 kr.</b>	Socket outlet with earth rod IP44 4-way 1,5m H07RN-F 3G1,5 *FR*	4007123609192	0,855 kg	85444290	1
1154450	<b>332 kr.</b>	Socket outlet with earth rod IP44 4-way 10m H07RN-F 3G1,5	4007123609208	2,195 kg	85444290	1
1154454	<b>331 kr.</b>	Socket outlet with earth rod IP44 4-way 10m H07RN-F 3G1,5 *FR*	4007123609215	2,330 kg	85444290	1
1154890010	<b>1.090 kr.</b>	Distribution Box 4/16A IP44 3x LS 230V/16 A, 1xFI 40 A 4-polig 30mA	4007123644292	3,221 kg	85444290	1
1154890020	<b>1.376 kr.</b>	Distribution Box 4/32 IP44 4x LS 230V/16 A, 1xLS 400V/16 A, 1xFI 40 A 4-polig 30mA	4007123650361	3,811 kg	85444290	1
1154890100	<b>289 kr.</b>	Frame for distribution box WV 4/16 IP44 (1154890010), WV 4/32 IP44 (1154890020)	4007123661282	1,650 kg	73269098	1
1154900010	<b>3.083 kr.</b>	Mobile Power Distributor BSV 4 IP44 2m H07RN-F5G4,0 2x32A + 1x16A	4007123654437	9,000 kg	85444290	1
1154900020	<b>3.010 kr.</b>	Mobile Power Distributor BSV 4 IP44 2m H07RN-F5G4,0 1x32A + 2x16A	4007123654253	8,850 kg	85444290	1
1154904	<b>3.733 kr.</b>	Portable Power Distributor BSV 4/32 FS IP44 *FR*	4007123061273	8,880 kg	85444290	1
1155000374	<b>323 kr.</b>	Premium-Line 30.000A extension socket with surge protection 4-way black 1.8m H05VV-F 3G1.5	4007123095667	0,680 kg	85444290	1
1155005014	<b>99 kr.</b>	Premium-Line extension socket 4-way black 1,8m H05VV-F 2x1,0 *DK*	4007123044696	0,439 kg	85444290	2
1155005016	<b>135 kr.</b>	Premium-Line extension socket 6-way black 3m H05VV-F 2x1,0 *DK*	4007123044719	0,596 kg	85444290	2
1155050374	<b>307 kr.</b>	Premium-Line 30000A extension socket with surge protection 4-way black/light grey 1.8m H05VV-F 3G1.5	4007123173464	0,690 kg	85444290	1
1155055394	<b>235 kr.</b>	Premium-Line 30.000A extension socket with surge protection 4-way black/light grey 1.8m H05VV-F 3G1.0	4007123591947	0,684 kg	85444290	1
1155225014	<b>99 kr.</b>	Premium-Line extension socket 4-way white 1,8m H05VV-F 2x1,0 *DK*	4007123023653	0,410 kg	85444290	2
1155225016	<b>133 kr.</b>	Premium-Line extension socket 6-way white 3m H05VV-F 2x1,0 *DK*	4007123044733	0,606 kg	85444290	2
1155350210	<b>225 kr.</b>	Vario Power Extension Socket with USB Charging Function 5-way white, 1.4m H05VV-F 3G1.5	4007123654925	0,660 kg	85444290	4
1155555078	<b>178 kr.</b>	Premium-Line Technics extension socket 6-way light grey 3m H05VV-F 2x1,0 2- way switched sockets *DK*	4007123056286	0,667 kg	85444290	2
1156000396	<b>416 kr.</b>	Premium-Line 30.000A extension socket with surge protection 6-way black 3m H05VV-F 3G1,5	4007123095629	0,927 kg	85444290	1
1156000536	<b>492 kr.</b>	Premium-Line 30.000A Extension Socket With Surge Protection with USB-Charger 6-way black 3m H05VV-F	4007123662920	0,977 kg	85444290	1
1156003536	<b>476 kr.</b>	Premium-Line 30.000A Extension Socket With Surge Protection with USB-Charger 6-way black 3m 05VV-F	4007123663583	1,041 kg	85444290	2
1156004536	<b>530 kr.</b>	Premium-Line 30.000A Extension Socket With Surge Protection with USB-Charger 6-way black 3m H05VV-F	4007123662937	0,961 kg	85444290	2
1156004824	<b>370 kr.</b>	Premium-Line 30.000A extension socket with surge protection 4-way black 3m H05VV-F 3G1,5 *FR*	4007123100576	0,856 kg	85444290	4
1156004826	<b>445 kr.</b>	Premium-Line 30.000A extension socket with surge protection 6-way black 3m H05VV-F 3G1,5 *FR*	4007123100347	0,900 kg	85444290	4
1156005010	<b>194 kr.</b>	Premium-Line extension socket 10-way black 3m H05VV-F 2x1,5 *DK*	4007123048069	0,790 kg	85444290	2
1156005012	<b>323 kr.</b>	Premium-Line extension socket 12-way black 3m H05VV-F 3G1,5 *DK*	4007123604005	1,099 kg	85444290	4
1156005016	<b>164 kr.</b>	Premium-Line extension socket 6-way black 3m H05VV-F 3G1,5 *DK*	4007123049387	0,706 kg	85444290	2
1156007135	<b>185 kr.</b>	Premium-Multi-Line extension socket 5-way 3m 05VV-F 3G1,25 black For NON-European countries only!	4007123565870	0,800 kg	85444290	4
1156007155	<b>213 kr.</b>	Premium-Multi-Line extension socket 5-way 5m 05VV-F 3G1,25 black For NON-European countries only!	4007123565887	0,984 kg	85444290	4
1156037135	<b>168 kr.</b>	Premium-Multi-Line extension socket 5-way 3m 05VV-F 3G1,25 black/blue For NON-European countries	4007123591077	0,800 kg	85444290	4
1156037415	<b>188 kr.</b>	Premium-Office-Multi-Line Extension Socket 5-way black/blue 3m 05VV-F 3G1,25	4007123631247	0,780 kg	85444290	1
1156050070	<b>334 kr.</b>	Premium-Line Comfort Switch Plus extension socket 6-way black/light grey 3m H05VV-F 3G1,5	4007123574605	1,162 kg	85444290	1
1156050071	<b>404 kr.</b>	Premium-Line Comfort Switch Plus extension socket 6-way black/light grey 3m H05VV-F 3G1.5 2	4007123574612	1,240 kg	85444290	1
1156050396	<b>409 kr.</b>	Premium-Line 30.000A extension socket with surge protection 6-way black/light grey 3m H05VV-F 3G1,5	4007123090785	0,805 kg	85444290	1
1156050955	<b>753 kr.</b>	Premium-Line 30.000A automatic extension socket with surge protection 5-way black/light grey 3m H05VV-F	4007123173495	1,030 kg	85444290	1
1156053024	<b>227 kr.</b>	Premium-Line Technics extension socket 6-way black/light grey 3m 05VV-F 3G1,25 4x BS + 2x earthed	4007123610761	0,701 kg	85444290	4
1156053394	<b>374 kr.</b>	Premium-Line 30.000A extension socket with surge protection 4-way black/light grey 3m 05VV-F 3G1,25	4007123110605	0,835 kg	85444290	2
1156053534	<b>445 kr.</b>	Premium-Line 30.000A Extension Socket With Surge Protection with USB-Charger 4-way black/light grey 3m	4007123662913	0,870 kg	85444290	2
1156054866	<b>510 kr.</b>	Premium-Line Technics 30.000A extension socket with surge protection 6-way black/light grey 3m H05VV-F	4007123185993	1,120 kg	85444290	4
1156057018	<b>292 kr.</b>	Premium-Line 19" extension socket for switch cabinets 8-way black/light grey 3m H05VV-F 3G1.5 19" format	4007123105816	1,110 kg	85444290	1
1156057028	<b>232 kr.</b>	Premium-Line 19" extension socket for switch cabinets 8-way black/light grey 3m H05VV-F 3G1,5 19" format	4007123662678	0,841 kg	85444290	1
1156057128	<b>319 kr.</b>	Premium-Line 19" extension socket for cabinets 8-way black/light grey 3m H05VV-F 3G1,0 19" format with	4007123665372	0,750 kg	85444290	1

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1156057396	561 kr.	Premium-Line 30.000A extension socket with surge protection 6-way black/light grey 3m H05VV-F 3G1,5 19"	4007123105793	1,200 kg	85444290	1
1156057415	204 kr.	Premium-Office-Multi-Line Extension Socket 5-way black/light grey 3m 05VV-F 3G1,25	4007123591886	0,755 kg	85444290	1
1156057982	1.771 kr.	Premium-Web-Line V3 Internet Extension Socket 19" with Surge Protection 2-way black 3m H05VV-F3G1,5	4007123657834	1,085 kg	85444290	1
1156057984	1.575 kr.	Premium-Web-Line V3 Internet Extension Socket 19" 4-way black 3m H05VV-F3G1,5	4007123657827	1,070 kg	85444290	1
1156225010	194 kr.	Premium-Line extension socket 10-way white 3m H05VV-F 2x1,5 *DK*	4007123048076	0,790 kg	85444290	2
1156225012	323 kr.	Premium-Line extension socket 12-way white 3m H05VV-F3G1,5 *DK*	4007123604128	1,078 kg	85444290	4
1156225016	164 kr.	Premium-Line extension socket 6-way white 3m H05VV-F 3G1,5 *DK*	4007123023752	0,706 kg	85444290	2
1156250416	172 kr.	Premium-Office-Line extension socket 6-way black/light grey 3m H05VV-F 3G1,5	4007123249299	0,855 kg	85444290	1
1156250534	217 kr.	Premium-Office-Line Extension Socket With USB-Charger 4-way black/light grey 1.8m H05VV-F 3G1,5	4007123662999	0,805 kg	85444290	1
1156253416	200 kr.	Premium-Office-Line extension socket 6-way black/light grey 3m 05VV-F 3G1,25 *GB*	4007123561681	0,905 kg	85444290	1
1156253515	273 kr.	Premium-Office-Line FB 5-way Extension Socket with USB-Charger and Safety Fuse Button 2100mA 5-way	4007123648566	1,015 kg	85444290	2
1156557135	170 kr.	Premium-Multi-Line extension socket 5-way 3m 05VV-F 3G1,25 light grey For NON-European countries only!	4007123591107	0,800 kg	85444290	4
1156753	164 kr.	Eco-Line 13.500A extension socket with surge protection 5-way light grey 2m 05VV-F 3G1,25 *GB*	4007123118106	0,556 kg	85444290	4
1157050374	309 kr.	Premium-Line 30.000A extension socket with surge protection 4-way black/light grey 1,8m H05VV-F 3G1,5 in	4007123116379	0,684 kg	85444290	1
1157450015	48 kr.	Eco-Line extension socket 3-way light grey 1,5m H05VV-F 3G1,5	4007123249381	0,321 kg	85444290	12
1157454	45 kr.	Eco-Line extension socket 3-way light grey 1,5m H05VV-F 3G1,5 *FR*	4007123055289	0,318 kg	85444290	12
1157494	45 kr.	Eco-Line extension socket 3-way white 1,5m H05VV-F 3G1,5 *FR*	4007123055319	0,321 kg	85444290	12
1157504	45 kr.	Eco-Line extension socket 3-way black 1,5m H05VV-F 3G1,5 *FR*	4007123055326	0,308 kg	85444290	12
1157504130	68 kr.	Eco-Line extension socket 3-way black 3m H05VV-F 3G1,5 *FR*	4007123633173	0,466 kg	85444290	12
1158610015	48 kr.	Eco-Line extension socket 3-way white 1,5m H05VV-F 3G1,5	4007123249374	0,330 kg	85444290	12
1158610030	68 kr.	Eco-Line 3-way white 3m H05VV-F 3G1,5	4007123615292	0,474 kg	85444290	12
1158610050	97 kr.	Eco-Line extension socket 3-way white 5m H05VV-F 3G1,5	4007123615315	0,675 kg	85444290	12
1158620015	48 kr.	Eco-Line extension socket 3-way black 1,5m H05VV-F 3G1,5	4007123249367	0,337 kg	85444290	12
1158810315	136 kr.	Eco-Line 13.500A extension socket with surge protection 3-way anthracite 1,5m H05VV-F 3G1,5	4007123612802	0,460 kg	85444290	4
1158820315	113 kr.	Eco-Line 13.500A extension socket with surge protection 3-way anthracite 1,5m H05VV-F 3G1,5 Plastic bag	4007123619207	0,406 kg	85444290	6
1159300010	140 kr.	Eco-Line extension socket with switch 10-way black 3m H05VV-F 3G1,5	4007123114504	0,775 kg	85444290	4
1159300018	117 kr.	Eco-Line extension socket with switch 8-way black 3m H05VV-F 3G1,5	4007123114429	0,670 kg	85444290	6
1159301018	118 kr.	Eco-Line extension socket with switch 8-way black 3m H05VV-F 3G1,5 *FR*	3281853010188	0,680 kg	85444290	6
1159320018	117 kr.	Eco-Line extension socket with switch 8-way white 3m H05VV-F 3G1,5	4007123114405	0,670 kg	85444290	6
1159350010	140 kr.	Eco-Line extension socket with switch 10-way light grey 3m H05VV-F 3G1,5	4007123114528	0,761 kg	85444290	4
1159350018	117 kr.	Eco-Line extension socket with switch 8-way light grey 3m H05VV-F 3G1,5	4007123114443	0,660 kg	85444290	6
1159400015	64 kr.	Eco-Line extension socket 6-way black 1,5m H05VV-F 3G1,5	4007123249428	0,428 kg	85444290	8
1159420015	64 kr.	Eco-Line extension socket 6-way white 1,5m H05VV-F 3G1,5	4007123249435	0,432 kg	85444290	8
1159440015	55 kr.	Eco-Line extension socket 6-way silver grey 1,5m H05VV-F 3G1,5	4007123251865	0,428 kg	85444290	8
1159450015	64 kr.	Eco-Line extension socket 6-way light grey 1,5m H05VV-F 3G1,5	4007123249442	0,429 kg	85444290	8
1159450616	202 kr.	Eco-Line Comfort Switch extension socket 6-way anthracite 2m H05VV-F 3G1,5	4007123616329	0,968 kg	85444290	2
1159453616	235 kr.	Eco-Line Comfort Switch extension socket 6-way anthracite 2m H05VV-F 3G1,5 *GB*	4007123621446	0,911 kg	85444290	2
1159454616	228 kr.	Eco-Line Comfort Switch Extension Socket 6 ways anthracite 2m H05VV-F 3G1,5 *BE*	4007123621453	0,899 kg	85444290	2
1159490936	317 kr.	Secure-Tec 19.500A automatic extension socket with surge protection 8-way anthracite 3m H05VV-F 3G1,5	4007123611867	1,125 kg	85444290	1
1159490966	283 kr.	Secure-Tec 19.500A automatic extension socket with surge protection 6-way anthracite 3m H05VV-F 3G1,5	4007123611874	0,931 kg	85444290	1
1159500015	76 kr.	Eco-Line extension socket with switch 6-way black 1,5m H05VV-F 3G1,5	4007123249398	0,449 kg	85444290	8
1159500400	97 kr.	Eco-Line extension socket with switch 6-way black 3m H05VV-F 3G1,5	4007123133130	0,598 kg	85444290	8
1159503	91 kr.	Eco-Line extension socket 6-way black 1,5m 05VV-F 3G1,25 *GB*	4007123059706	0,431 kg	85444290	8
1159520015	76 kr.	Eco-Line extension socket with switch 6-way white 1,5m H05VV-F 3G1,5	4007123249404	0,449 kg	85444290	8
1159520400	97 kr.	Eco-Line extension socket with switch 6-way white 3m H05VV-F 3G1,5	4007123133192	0,621 kg	85444290	8



Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1159523	91 kr.	Eco-Line extension socket 6-way white 1,5m 05VV-F 3G1,25 *GB*	4007123212217	0,431 kg	85444290	8
1159540015	76 kr.	Eco-Line extension socket with switch 6-way silver grey 1,5m H05VV-F 3G1,5	4007123251742	0,434 kg	85444290	8
1159540366	209 kr.	Secure-Tec 19.500A extension socket with surge protection 6-way anthracite 2m H05VV-F 3G1,5	4007123602285	0,775 kg	85444290	1
1159540376	258 kr.	Secure-Tec 19.500A extension socket with surge protection acoustic 6-way anthracite 3m H05VV-F 3G1,5	4007123150496	0,889 kg	85444290	1
1159541376	256 kr.	Secure-Tec 19.500A extension socket with surge protection acoustic 6-way anthracite 3m H05VV-F 3G1,5	3281855413765	0,897 kg	85444290	4
1159550015	76 kr.	Eco-Line extension socket with switch 6-way lightgrey 1,5m H05VV-F 3G1,5	4007123249411	0,445 kg	85444290	8
1159560216	195 kr.	Eco-Line Comfort Switch Plus EL CSP 24 extension socket 6-way white 1.5m H05VV-F 3G1.5 2 permanent,	4007123636297	0,740 kg	85444290	2
1159560516	195 kr.	Eco-Line Extension Socket Comfort Switch Plus EL CSP 24 6-way anthracite 1,5m H05VV-F 3G1,5 2	4007123620913	0,740 kg	85444290	2
1159700015	158 kr.	Eco-Line 13.500A extension socket with surge protection 6-way anthracite 1,5m H05VV-F 3G1,5	4007123251964	0,556 kg	85444290	4
1159710	172 kr.	Eco-Line 13.500A extension socket with surge protection 6-way anthrazit 1,5m H05VV-F 3G1,5	4007123248674	0,573 kg	85444290	4
1159710515	210 kr.	Eco-Line 13,500A extension socket with surge protection 6-way anthrazit 5m H05VV-F 3G1.5	4007123615872	0,856 kg	85444290	2
1159750015	158 kr.	Eco-Line 13.500A extension socket with surge protection 6-way light grey 1,5m H05VV-F 3G1,5	4007123251971	0,515 kg	85444290	4
1159760626	319 kr.	Eco-Line Remote-Controlled Extension Socket RC EL1 1001 6-way anthracite 1.5m H05VV-F 3G1.5 2	4007123630363	0,850 kg	85444290	1
1159760636	315 kr.	Eco-Line Remote-Controlled Extension Socket RC EL1 1001 6-way anthracite 1.5m H05VV-F 3G1.5 2	4007123639502	0,778 kg	85444290	1
1159760936	404 kr.	brennenstuhl@Connect Eco-Line WiFi extension socket 1,5m H05VV-F3G1,5 black	4007123663439	0,712 kg	85444290	1
1159900205	178 kr.	Super-Solid SL 554 DE IP54 Extension Socket 5-way yellow/blue 2m H07RN-F3G1.5 with switch	4007123647507	0,881 kg	85444290	1
1159900805	409 kr.	Super-Solid SL 554 DE FI IP54 Extension Socket 5ways 5m H07RN-F 3G1.5	4007123647521	1,452 kg	85444290	1
1159904225	200 kr.	Super-Solid IP54 Extension Socket 5-way 2m H07RN-F 3G2.5 *FR*	4007123647576	0,769 kg	85444290	1
1159910215	232 kr.	Super-Solid SL 554 DE IP54 Garden Extension Socket 5-way 5m H07RN-F 3G1.5	4007123647514	1,351 kg	85444290	1
1159930	93 kr.	Extension socket IP44 2-way black 2m H07RN-F 3G1,5	4007123565269	0,570 kg	85444290	4
1159934	101 kr.	Extension Socket IP44 3-way black 2m H07RN-F 3G1,5 *FR*	4007123633517	0,555 kg	85444290	4
1159960	116 kr.	Extension socket IP44 4-way black 2m H07RN-F 3G1,5	4007123575930	0,607 kg	85444290	1
1159964	114 kr.	Extension Socket IP44 4-way black 2m H07RN-F 3G1,5 *FR*	4007123633524	0,605 kg	85444290	1
1159970	144 kr.	Extension socket IP44 6-way black 2m H07RN-F 3G1,5	4007123575978	0,775 kg	85444290	1
1160330	90 kr.	Connecting cable 3-pin IP44 3m black H05RR-F 3G1,5	4007123107315	0,416 kg	85444290	2
1160370	277 kr.	Protective-Adapter-Cable FI IP44 2m black H07RN-F 3G1,5	4007123111732	0,673 kg	85444290	1
1160400	29 kr.	Safe-Box	4007123112036	0,133 kg	39269097	10
1160440	52 kr.	Safe-Box BIG IP44	4007123170784	0,179 kg	39269097	10
1160450	85 kr.	Connecting cable IP44 3m red H05RR-F 3G1,5	4007123215218	0,416 kg	85444290	2
1160480	128 kr.	Connecting cable IP44 3m black H07RN-F 3G1,5	4007123215386	0,480 kg	85444290	2
1160490	79 kr.	Connecting cable 3m red H07RN-F 3G1,5	4007123215393	0,528 kg	85444290	2
1160550	63 kr.	Cable Protector 100x5x1,2cm	4007123172849	0,311 kg	39174000	5
1160650	77 kr.	Cable Protector 100x7,5x1,7cm	4007123172832	0,481 kg	39174000	5
1160690	104 kr.	Connecting Cable 5m H07RN-F3G1.0 black with moulded plug *DE/BE*	4007123642786	0,700 kg	85444290	2
1161104	581 kr.	Extension cable 20m H07RN-F3G2.5 black *BE*	4007123564835	4,450 kg	85444290	2
1161420	110 kr.	Quality extension cable of rubber IP44 5m black H05RR-F 3G1,5	4007123167012	0,856 kg	85444290	5
1161450	179 kr.	Quality extension cable of rubber IP44 10m black H05RR-F 3G1,5	4007123009558	1,610 kg	85444290	3
1161470	396 kr.	Quality extension cable of rubber IP44 25m black H05RR-F 3G1,5	4007123000364	3,450 kg	85444290	3
1161590	210 kr.	BREMAXX extension cable IP44 10m orange AT-N07V3V3-F 3G1,5	4007123093069	1,440 kg	85444290	2
1161590007	200 kr.	BREMAXX Extension Cable IP44 10m orange AT-N07V3V3-F 3G1.5 with increased touch protection	4007123634439	1,440 kg	85444290	2
1161600	432 kr.	BREMAXX extension cable IP44 25m orange AT-N07V3V3-F 3G1,5	4007123093076	3,360 kg	85444290	2
1161600007	423 kr.	BREMAXX Extension Cable IP44 25m orange AT-N07V3V3-F 3G1.5 with increased touch protection	4007123634453	3,360 kg	85444290	2
1161640	369 kr.	BREMAXX Extension Cable IP44 20m orange AT-N07V3V3-F 3G1,5	4007123108022	2,892 kg	85444290	2
1161650	732 kr.	BREMAXX extension cable IP44 25m orange AT-N07V3V3-F 3G2.5	4007123114986	5,920 kg	85444290	2
1161660	29 kr.	Plastic extension cable 3m white H03VVH2-F 2x0,75	4007123116980	0,230 kg	85444290	10

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1161670	<b>41 kr.</b>	Plastic extension cable 5m white H03VVH2-F 2x0,75	4007123150397	0,296 kg	85444290	10
1161740	<b>361 kr.</b>	BREMAXX extension cable IP44 10m orange AT-N07V3V3-F 3G2,5	4007123590667	2,166 kg	85444290	2
1161750020	<b>179 kr.</b>	Extension cable IP54 with Powerblock 5m blue AT-N05V3V3-F 3G1,5	4007123667406	0,914 kg	85444290	1
1161760	<b>338 kr.</b>	BREMAXX extension cable IP44 20m red AT-N05V3V3-F 3G1,5	4007123186006	2,060 kg	85444290	2
1161790	<b>29 kr.</b>	Plastic extension cable 3m black H03VVH2-F 2x0,75	4007123249732	0,202 kg	85444290	10
1161800	<b>41 kr.</b>	Plastic extension cable 5m black H03VVH2-F 2x0,75	4007123249749	0,290 kg	85444290	10
1161820220	<b>177 kr.</b>	Quality plastic extension cable 10m H05VV-F 3G1.5 white with a flat plug and double coupling	4007123662616	1,308 kg	85444290	5
1161820223	<b>86 kr.</b>	Quality plastic extension cable 3m H05VV-F 3G1.5 white with a flat plug and double coupling	4007123662623	0,590 kg	85444290	10
1161820225	<b>112 kr.</b>	Quality plastic extension cable 5m H05VV-F 3G1.5 white with a flat plug and double coupling	4007123662630	0,805 kg	85444290	10
1161830	<b>106 kr.</b>	Quality Plastic Extension Cable with rotary switch and textile cladding 3m H05VV-F 3G1.5 black/white	4007123667314	0,470 kg	85444290	10
1161830010	<b>106 kr.</b>	Quality Plastic Extension Cable with rotary switch and textile cladding 3m H05VV-F 3G1.5 black	4007123673018	0,470 kg	85444290	10
1161830020	<b>143 kr.</b>	Quality Plastic Extension Cable with rotary switch and textile cladding 5m H05VV-F 3G1.5 black/white	4007123673025	0,688 kg	85444290	10
1161830030	<b>143 kr.</b>	Quality Plastic Extension Cable with rotary switch and textile cladding 5m H05VV-F 3G1.5 black	4007123673032	0,688 kg	85444290	10
1161830040	<b>143 kr.</b>	Quality Plastic Extension Cable with rotary switch and textile cladding 5m H05VV-F 3G1.5 red/white/black	4007123673049	0,688 kg	85444290	10
1161960	<b>639 kr.</b>	BQ extension cable for building site IP44 25m orange H07BQ-F 3G1,5	4007123633784	2,700 kg	85444290	2
1161970	<b>907 kr.</b>	BQ extension cable for building site IP44 25m orange H07BQ-F 3G2,5	4007123633791	3,958 kg	85444290	2
1164360	<b>90 kr.</b>	Spiral coiled tube L = 2,5m; Ø = 20mm grey	4007123562381	0,231 kg	39174000	1
1164480	<b>18 kr.</b>	Wall socket cover with touch protection, content: 6 units	4007123590766	0,041 kg	39174000	1
1165010015	<b>47 kr.</b>	Quality extension cable of plastic 2m black H05VV-F 3G1,5	4007123251940	0,422 kg	85444290	10
1165430	<b>59 kr.</b>	Quality extension cable of plastic 3m black H05VV-F 3G1,5	4007123022816	0,494 kg	85444290	10
1165440	<b>85 kr.</b>	Quality extension cable of plastic 5m black H05VV-F 3G1,5	4007123022823	0,746 kg	85444290	10
1165460	<b>141 kr.</b>	Quality extension cable of plastic 10m black H05VV-F 3G1,5	4007123000326	1,260 kg	85444290	5
1165480	<b>321 kr.</b>	Quality extension cable of plastic 25m black H05VV-F 3G1.5	4007123002368	2,834 kg	85444290	4
1166463	<b>210 kr.</b>	Extension cable CEE 110V 14m yellow H05VV-F 3G1,5	4007123081288	1,790 kg	85444290	10
1166503015	<b>201 kr.</b>	Extension cable 14m blue H05VV3G1,5mm, 240V *GB*	4007123657407	1,466 kg	85444290	5
1166543015	<b>331 kr.</b>	Extension cable 25m blue H05VV3G1,5mm, 240V *GB*	4007123657414	2,538 kg	85444290	5
1166553015	<b>51 kr.</b>	Extension cable 2m white H05VV3G1,5mm *GB*	4007123657421	0,296 kg	85444290	10
1166563015	<b>61 kr.</b>	Extension cable 3m white H05VV3G1,5mm *GB*	4007123657438	0,394 kg	85444290	10
1166573015	<b>91 kr.</b>	Extension cable 5m white H05VV3G1,5mm *GB*	4007123657445	0,589 kg	85444290	10
1166810	<b>373 kr.</b>	Extension cable for building site IP44 10m black H07RN-F 3G2,5	4007123019724	2,400 kg	85444290	2
1166810301	<b>413 kr.</b>	Construction site extension cable 10m H07RN-F3G2,5 black with triple rubber coupling IP44	4007123673582	2,710 kg	85444290	1
1166814	<b>369 kr.</b>	Extension cable for building site IP44 10m black H07RN-F 3G2,5 *FR*	4007123057276	2,400 kg	85444290	2
1166820	<b>751 kr.</b>	Extension cable for building site IP44 25m black H07RN-F 3G2,5	4007123019731	5,160 kg	85444290	2
1166824	<b>784 kr.</b>	Extension cable for building site IP44 25m black H07RN-F 3G2,5 *FR*	4007123060689	5,160 kg	85444290	2
1167320100	<b>1.020 kr.</b>	CEE extension cable IP 44 10m black H07RN-F 5G6.0 5-pin	4007123667819	6,110 kg	85444290	1
1167320250	<b>2.230 kr.</b>	CEE extension cable IP 44 25m black H07RN-F 5G6.0 5-pin	4007123667826	14,850 kg	85444290	1
1167454	<b>79 kr.</b>	Quality extension cable of plastic 5m H05VV-F 3G1,5 red *FR*	4007123011995	0,782 kg	85444290	10
1167460	<b>141 kr.</b>	Quality extension cable of plastic 10m red H05VV-F 3G1,5	4007123019656	1,217 kg	85444290	5
1167464	<b>137 kr.</b>	Quality extension cable of plastic 10m red H05VV-F 3G1,5 *FR*	4007123011766	1,302 kg	85444290	5
1167470	<b>321 kr.</b>	Quality extension cable of plastic 25m red H05VV-F 3G1,5	4007123000340	2,871 kg	85444290	4
1167474	<b>369 kr.</b>	Quality extension cable of plastic 25m red H05VV-F 3G1,5 *FR*	4007123003327	2,871 kg	85444290	4
1167504	<b>634 kr.</b>	Quality extension cable of plastic 50m red H05VV-F 3G1,5 *FR*	4007123003334	5,160 kg	85444290	2
1167630100	<b>3.272 kr.</b>	CEE extension cable IP44 10m H07RN-F5G16.0 CEE400V/63A	4007123664634	15,360 kg	85444290	1
1167630200	<b>5.446 kr.</b>	CEE extension cable IP44 20m H07RN-F5G16.0 CEE400V/63A	4007123664641	27,870 kg	85444290	1
1167650110	<b>224 kr.</b>	CEE Extension Cable 230V IP44 10m H07RN-F 3G1.5 CEE 230V/16A plug and socket	4007123650781	1,741 kg	85444290	2

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1167650210	268 kr.	CEE Extension Cable 230V IP44 10m H07RN-F 3G2.5 CEE 230V/16A plug and socket	4007123650798	2,192 kg	85444290	2
1167650225	550 kr.	CEE Extension Cable 230V IP44 25m H07RN-F 3G2.5 CEE 230V/16A plug and socket	4007123650866	5,269 kg	85444290	2
1167650510	363 kr.	Adapter Cable IP44 10m orange H07RN-F 3G2.5 CEE plug, angled socket 230V/16A	4007123673865	2,351 kg	85444290	2
1167650525	699 kr.	Adapter Cable IP44 25m orange H07RN-F 3G2.5 CEE plug, angled socket 230V/16A	4007123673872	5,541 kg	85444290	2
1167650610	328 kr.	CEE Extension Cable 230V IP44 10m H07RN-F 3G2.5 orange CEE 230V/16A plug and socket	4007123673940	2,192 kg	85444290	2
1167650625	682 kr.	CEE Extension Cable 230V IP44 25m H07RN-F 3G2.5 orange CEE 230V/16A plug and socket	4007123673957	5,269 kg	85444290	2
1167710	386 kr.	CEE extension cable IP44 10m black H07RN-F 5G1,5 5-pin	4007123005796	2,810 kg	85444290	1
1167720	1.126 kr.	CEE extension cable IP44 25m black H07RN-F 5G2,5 5-pin	4007123021550	8,060 kg	85444290	1
1167730	919 kr.	CEE extension cable IP44 30m black H07RN-F 5G1,5 5-pin	4007123005826	6,720 kg	85444290	1
1167740	522 kr.	CEE extension cable IP44 10m black H07RN-F 5G2,5 5-pin	4007123018239	2,980 kg	85444290	1
1167810	190 kr.	Extension cable for bildung site IP44 10m black H07RN-F 3G1,5	4007123005802	1,590 kg	85444290	3
1167810301	280 kr.	Construction site extension cable 10m H07RN-F3G1,5 black with triple rubber coupling IP44	4007123670307	1,920 kg	85444290	1
1167814	220 kr.	Extension cable for bildung site IP44 10m black H07RN-F 3G1,5 *FR*	4007123575664	1,590 kg	85444290	5
1167820	413 kr.	Extension cable for bildung site IP44 25m black H07RN-F 3G1,5	4007123019700	4,021 kg	85444290	2
1167820301	500 kr.	Construction site extension cable 25m H07RN-F3G1,5 black with triple rubber coupling IP44	4007123670314	4,050 kg	85444290	1
1167830	413 kr.	Extension cable for bildung site IP44 25m red H07RN-F 3G1,5	4007123014651	4,034 kg	85444290	2
1167950	190 kr.	Extension cable for bildung site IP44 10m red H07RN-F 3G1,5	4007123022847	1,590 kg	85444290	3
1167970	820 kr.	CEE extension cable IP 44 10m black H07RN-F 5G4,0 5-pin	4007123029112	5,100 kg	85444290	1
1168120015	48 kr.	Quality extension cable of plastic 2m white H05VV-F 3G1,5	4007123251933	0,410 kg	85444290	10
1168430	59 kr.	Quality extension cable of plastic 3m white H05VV-F 3G1,5	4007123022731	0,538 kg	85444290	10
1168434	55 kr.	Quality extension cable of plastic 3m white H05VV-F 3G1,5 *FR*	4007123027569	0,545 kg	85444290	10
1168440	85 kr.	Quality extension cable of plastic 5m white H05VV-F 3G1,5	4007123022748	0,745 kg	85444290	10
1168444	79 kr.	Quality extension cable of plastic 5m white H05VV-F 3G1,5 *FR*	4007123027576	0,710 kg	85444290	10
1168460	141 kr.	Quality extension cable of plastic 10m white H05VV-F 3G1,5	4007123022755	1,280 kg	85444290	5
1168463	317 kr.	Extension cable CEE 110V 14m yellow H05VV-F 3G2,5	4007123109968	2,687 kg	85444290	8
1168464	137 kr.	Quality extension cable of plastic 10m white H05VV-F 3G1,5 *FR*	4007123027583	1,221 kg	85444290	5
1168500	1.846 kr.	CEE extension cable IP44 25m black H07RN-F 5G4,0 5-pin	4007123190867	13,960 kg	85444290	1
1168504010	461 kr.	Heavy-duty rubber cable IP54 with Powerblock 10m black H07RN-F 3G2.5 *FR/BE*	4007123667383	2,638 kg	85444290	1
1168580	370 kr.	BREMAXX CEE extension cable IP44 10m signal red AT-N07V3V3-F 5G1,5	4007123151929	2,390 kg	85444290	1
1168590	759 kr.	BREMAXX CEE extension cable IP44 25m signal red AT-N07V3V3-F 5G1,5	4007123151936	5,450 kg	85444290	1
1168720010	354 kr.	RCD Protected Cable IP54 with Powerblock 5m black H07RN-F 3G1,5	4007123647736	1,285 kg	85444290	1
1168730010	457 kr.	RCD Protected Cable IP54 with Powerblock 10m black H07RN-F 3G1,5	4007123647743	2,020 kg	85444290	1
1168980010	152 kr.	Short Extension Cable With Angled Flat Plug 10m H05VV-F3G1,5 black	4007123644629	1,230 kg	85444290	5
1168980020	52 kr.	Short Extension Cable With Angled Flat Plug 2m H05VV-F3G1,5 black	4007123644506	0,379 kg	85444290	10
1168980030	64 kr.	Short Extension Cable With Angled Flat Plug 3m H05VV-F3G1,5 black	4007123644544	0,490 kg	85444290	10
1168980050	87 kr.	Short Extension Cable With Angled Flat Plug 5m H05VV-F3G1,5 black	4007123644582	0,708 kg	85444290	10
1168980210	152 kr.	Short Extension Cable With Angled Flat Plug 10m H05VV-F3G1,5 white	4007123644643	1,266 kg	85444290	5
1168980220	52 kr.	Short Extension Cable With Angled Flat Plug 2m H05VV-F3G1,5 white	4007123644513	0,373 kg	85444290	10
1168980230	64 kr.	Short Extension Cable With Angled Flat Plug 3m H05VV-F3G1,5 white	4007123644568	0,490 kg	85444290	10
1168980250	87 kr.	Short Extension Cable With Angled Flat Plug 5m H05VV-F3G1,5 white	4007123644605	0,728 kg	85444290	10
1169200010	194 kr.	Heavy-duty rubber cable IP54 with Powerblock 5m black H07RN-F 3G1,5	4007123647750	1,171 kg	85444290	1
1169204010	181 kr.	Extension cable IP54 with Powerblock 5m blue AT-N05V3V3-F 3G1,5 *FR/BE*	4007123667369	0,880 kg	85444290	1
1169604010	308 kr.	Extension cable IP54 with Powerblock 10m black H05RR-F 3G1,5 *FR/BE*	4007123667390	1,650 kg	85444290	1
1169700010	124 kr.	Rubber Cable Reel X-Gum empty	4007123661824	0,381 kg	39174000	4
1169710100	320 kr.	Rubber Cable Reel X-Gum IP44 10m H07RN-F 3G1,5	4007123661831	1,861 kg	85444290	2



Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1169714100	274 kr.	Rubber Cable Reel X-Gum IP44 10m N05V3V3-F3G1,5 *BE*	4007123663545	1,561 kg	85444290	2
1169714150	298 kr.	Rubber Cable Reel X-Gum IP44 15m N05V3V3-F3G1,5 *BE*	4007123661879	2,031 kg	85444290	2
1169717100	273 kr.	Rubber Cable Reel X-Gum IP44 10m AT-N05V3V3-F 3G1.5	4007123661886	1,571 kg	85444290	2
1169723150	293 kr.	Rubber Cable Reel Compact 15m H05VV-F3G1,5 *GB*	4007123661848	2,131 kg	85444290	2
1169730100	652 kr.	Rubber Cable Reel X-Gum CEE IP44 12m H07RN-F 3G2.5	4007123661855	3,151 kg	85444290	1
1169730101	629 kr.	Rubber Cable Reel X-Gum CEE IP44 10m H07RN-F 3G2.5	4007123673995	2,830 kg	85444290	1
1169743140	342 kr.	Rubber Cable Reel Compact CEE 110V 14m H05VV-F3G1,5 *GB*	4007123661862	2,271 kg	85444290	1
1169810	197 kr.	BREMAXX extension cable IP44 10m blue AT-N05V3V3-F 3G1,5	4007123603534	1,223 kg	85444290	2
1169820	378 kr.	BREMAXX extension cable IP44 25m blue AT-N05V3V3-F 3G1,5	4007123603541	2,684 kg	85444290	2
1169830	197 kr.	BREMAXX extension cable IP44 10m red AT-N05V3V3-F 3G1.5	4007123625246	1,223 kg	85444290	2
1169834	220 kr.	BREMAXX extension cable IP44 10m red AT-N05V3V3-F3G1,5 *FR*	4007123633241	1,223 kg	85444290	2
1169840	378 kr.	BREMAXX extension cable IP44 25m red AT-N05V3V3-F 3G1.5	4007123625307	2,684 kg	85444290	2
1169844	440 kr.	BREMAXX extension cable IP44 25m red AT N05V3V3-F3G1,5 *FR*	4007123633258	2,684 kg	85444290	2
1169860	700 kr.	BREMAXX extension cable IP44 50m red AT-N05V3V3-F 3G1.5	4007123625321	5,121 kg	85444290	2
1169870	197 kr.	BREMAXX extension cable IP44 10m black AT-N05V3V3-F 3G1,5	4007123630134	1,223 kg	85444290	2
1169890	248 kr.	BREMAXX extension cable IP44 15m black AT-N05V3V3-F 3G1,5	4007123630158	1,663 kg	85444290	2
1169900	378 kr.	BREMAXX extension cable IP44 25m black AT-N05V3V3-F 3G1,5	4007123630172	2,684 kg	85444290	2
1169910	120 kr.	BREMAXX extension cable IP44 5m red AT-N05V3V3-F 3G1.5	4007123661909	0,682 kg	85444290	5
1169920	129 kr.	BREMAXX extension cable IP44 5m orange AT-N07V3V3-F 3G1.5	4007123661930	0,851 kg	85444290	5
1170610010	397 kr.	Professional Building Telescopic Tripod TS 170	4007123663729	3,428 kg	73269098	1
1170610020	519 kr.	Professional Building Telescopic Tripod TS 250	4007123665129	4,990 kg	73269098	1
1170780	211 kr.	Solar LED Pavement Light SOL WL 02007 IP44 2xLED 30lm Colour Stainless steel	4007123619696	0,310 kg	94054099	1
1170840	686 kr.	Solar LED Light SOL 80 ALU IP44 with PIR sensor 8xLED 0,5W 350lm Cable length 4,75m Colour ALU	4007123602209	1,695 kg	94054099	1
1170850010	512 kr.	Solar LED Light SOL 800 IP44 with PIR sensor white	4007123646418	1,379 kg	94051040	1
1170870	290 kr.	Solar LED Wall Lamp SOL 04 plus IP44 with PIR sensor 2xLED 0,5W 85lm Colour Grey white	4007123611799	0,628 kg	94051040	1
1170900	125 kr.	Infrared Motion Detector PIR 180 IP44 White	4007123249817	0,210 kg	85365080	1
1170910	144 kr.	PIR Motion Detector PIR 240 IP44 White	4007123249831	0,330 kg	85365080	1
1170950010	512 kr.	Solar LED Light SOL 800 IP44 with PIR sensor anthracite	4007123646425	1,379 kg	94051040	1
1170970	290 kr.	Solar LED Wall Lamp SOL 04 plus IP44 with PIR sensor 2xLED 0,5W 85lm Colour Black	4007123611812	0,628 kg	94051040	1
1171250031	770 kr.	LED Light JARO 9000 8850lm,100W,IP65	4007123656387	3,285 kg	94054099	1
1171250033	1.261 kr.	Mobile LED Light JARO 9000 M, IP65, 9310lm, 100W, 5m H07RN-F 3G1,0	4007123656196	6,670 kg	94054099	1
1171250051	1.062 kr.	LED Light JARO 1300 IP65, 13150lm, 150W	4007123663132	4,780 kg	94054099	1
1171250131	102 kr.	LED Light JARO 1000 900lm, 10W, IP65	4007123656257	0,510 kg	94054099	1
1171250132	185 kr.	LED Light JARO 1000 P with PIR sensor 900lm,10W,IP44	4007123656271	0,610 kg	94054099	1
1171250133	258 kr.	Mobile LED Light JARO 1000 M, 900lm, 10W, IP65, 2m H07RN-F 3G1,0	4007123655991	1,382 kg	94054099	1
1171250135	406 kr.	Mobile Rechargeable LED Light JARO 1000 MA 10W, 1000lm, IP54	4007123656486	1,365 kg	94054099	1
1171250231	144 kr.	LED Light JARO 2000 1870lm, 20W, IP65	4007123656288	0,830 kg	94054099	1
1171250232	235 kr.	LED Light JARO 2000 P with PIR sensor 1870lm, 20W, IP44	4007123656295	0,920 kg	94054099	1
1171250233	319 kr.	Mobile LED Light JARO 2000 M, 1870lm, 20W, IP65, 2m H07RN-F 3G1,0	4007123656011	1,795 kg	94054099	1
1171250234	468 kr.	Tripod LED Light JARO 2000 T 1870lm, 20W, IP65	4007123656202	4,230 kg	94054099	1
1171250235	612 kr.	Mobile Rechargeable LED Light JARO 2000 MA 20W, 2000lm, IP54	4007123656493	2,050 kg	94054099	1
1171250331	252 kr.	LED Light JARO 3000 2930lm, 30W, IP65	4007123656301	1,316 kg	94054099	1
1171250332	349 kr.	LED Light JARO 3000 P with PIR sensor 2930lm, 30W, IP44	4007123656325	1,454 kg	94054099	1
1171250333	491 kr.	Mobile LED Light JARO 3000 M, 2930lm, 30W, IP65, 3m H07RN-F 3G1,0	4007123656042	2,841 kg	94054099	1
1171250334	676 kr.	Tripod LED Light JARO 3000 T 2930lm, 30W, IP65	4007123656219	5,420 kg	94054099	1

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1171250335	<b>877 kr.</b>	Mobile Rechargeable LED Light JARO 3000 MA, 30W, 3000lm, IP54	4007123656509	2,775 kg	94054099	1
1171250434	<b>673 kr.</b>	Tripod LED Double-Light JARO 4000 T 2x1870lm, 2x 20W, IP65	4007123657681	5,435 kg	94054099	1
1171250531	<b>382 kr.</b>	LED Light JARO 5000 4770lm, 50W, IP65	4007123656332	1,798 kg	94054099	1
1171250532	<b>485 kr.</b>	LED Light JARO 5000P with PIR sensor 4770lm, 50W, IP44	4007123656356	1,970 kg	94054099	1
1171250533	<b>683 kr.</b>	Mobile LED Light JARO 5000 M, 4770lm, 50W, IP65, 5m H07RN-F 3G1,0	4007123656097	3,575 kg	94054099	1
1171250534	<b>871 kr.</b>	Tripod LED Light JARO 5000 T 4770lm, 50W, IP65	4007123656240	6,085 kg	94054099	1
1171250634	<b>982 kr.</b>	Tripod LED Double-Light JARO 6000T, 2x 2930lm, 2x30W, IP65	4007123668229	7,000 kg	94054099	1
1171250831	<b>581 kr.</b>	LED Light JARO 7000 7200lm, 80W, IP65	4007123656363	2,685 kg	94054099	1
1171250833	<b>981 kr.</b>	Mobile LED Light JARO 7000 M, 7200lm, 80W, IP65, 5m H07RN-F 3G1,0	4007123656141	5,360 kg	94054099	1
1171253230	<b>352 kr.</b>	Mobile LED Light JARO 2003 CM, 1870lm, 20W, IP65, 110V *GB*	4007123656035	1,470 kg	94054099	1
1171253233	<b>336 kr.</b>	Mobile LED Light JARO 2003 M, 1870lm, 20W, IP65 *GB*	4007123656028	1,470 kg	94054099	1
1171253235	<b>639 kr.</b>	Mobile Rechargeable LED Light JARO 2003 MA, 20W, 2000lm, IP54	4007123656608	2,030 kg	94054099	1
1171253330	<b>524 kr.</b>	Mobile LED Light JARO 3003 CM, 2870lm, 30W, IP65, 110V *GB*	4007123656066	2,500 kg	94054099	1
1171253335	<b>881 kr.</b>	Mobile Rechargeable LED Light JARO MA, 30W, 3000lm, IP54 *GB*	4007123656615	2,800 kg	94054099	1
1171253338	<b>709 kr.</b>	Tripod LED Light JARO 3003 CT 2870lm, 30W, IP65, 110V *GB*	4007123656233	5,390 kg	94054099	1
1171253343	<b>508 kr.</b>	Mobile LED Light JARO 3003 M, 2930lm, 30W, IP65 *GB*	4007123656059	2,500 kg	94054099	1
1171253434	<b>689 kr.</b>	Tripod LED Light JARO DUO 4003 T 2x 1870lm, 2x 20W, IP65 *GB*	4007123657698	5,080 kg	94054099	1
1171253530	<b>717 kr.</b>	Mobile LED Light JARO 5003 CM, 4540lm, 50W, IP65, 110V *GB*	4007123656110	3,300 kg	94054099	1
1171253533	<b>700 kr.</b>	Mobile LED Light JARO 5003 M 4770lm, 50W, IP65 *GB*	4007123656103	3,300 kg	94054099	1
1171253830	<b>998 kr.</b>	Mobile LED Light JARO 7003 CM, 7200lm, 80W, IP65, 110V *GB*	4007123656165	5,270 kg	94054099	1
1171253833	<b>981 kr.</b>	Mobile LED Light JARO 7003 M 7200lm, 80W, IP65 *GB*	4007123656158	5,270 kg	94054099	1
1171410300	<b>568 kr.</b>	Mobile LED Floodlight 360° BF 3000 M 3000lm, IP54, 3m H07RN-F 3G1.5	4007123671441	2,200 kg	94054039	1
1171410301	<b>801 kr.</b>	Mobile Rechargeable LED Floodlight 360° BF 3000 MA 3000lm, IP54	4007123671557	1,945 kg	94054039	1
1171410500	<b>770 kr.</b>	Mobile LED Floodlight 360° BF 5000 M 5000lm, IP54, 5m H07RN-F 3G1.5	4007123671458	3,300 kg	94054039	1
1171411500	<b>837 kr.</b>	Mobile LED Floodlight 360° BF 5001 M 5000lm, IP54, 5m H07RN-F 3G1.5 *FR/BE*	3281854115004	3,185 kg	94054039	1
1171430	<b>1.136 kr.</b>	Mobile Rechargeable Battery LED Lamp Flexible ML CA 130 F IP54 30W	4007123635733	2,709 kg	94054099	1
1171430050	<b>682 kr.</b>	Spare Li-Ion battery 7,4V/10.400mAh for Mobile Rechargeable Battery LED Lamp ML CA 130 F IP54	4007123635825	0,606 kg	85076000	1
1171433	<b>1.163 kr.</b>	Mobile Rechargeable Battery LED Lamp Flexible ML CA 130 F IP54 30W 2600lm *GB*	4007123635764	2,700 kg	94054099	1
1171470301	<b>685 kr.</b>	Mobile Bluetooth LED floodlight TORAN 3000 MB with light control APP, IP55, 3000lm, 30W, 5m H07RN-F	4007123663255	2,450 kg	94054039	1
1171470302	<b>1.046 kr.</b>	Mobile rechargeable Bluetooth LED floodlight TORAN 4000 MBA with light control APP, IP55, 3800lm, 40W	4007123663316	2,395 kg	94054039	1
1171470501	<b>910 kr.</b>	Mobile Bluetooth LED floodlight TORAN 5000 MB with light control APP, IP54, 5000lm, 46W, 5m H07RN-F	4007123663248	3,050 kg	94054039	1
1171540	<b>275 kr.</b>	Rechargeable LED Outdoor Light OLI 0300 A 350lm	4007123653973	0,255 kg	85131000	1
1171550	<b>87 kr.</b>	LED Outdoor Light OLI 0200 180lm	4007123653980	0,160 kg	85131000	9
1171570	<b>591 kr.</b>	Mobile LED Light DINORA 3000 IP65 3m H07RN-F 2x1.0 2500lm	4007123652792	1,714 kg	94054039	1
1171580	<b>809 kr.</b>	Mobile LED Light DINORA 5000 IP65 5m H07RN-F 2x1.0 5000lm	4007123652808	2,733 kg	94054039	1
1171580020	<b>1.123 kr.</b>	Mobile LED Light DINORA 8010 IP54 5m H07RN-F 3G1,5 8000lm with socket	4007123668205	3,025 kg	94054039	1
1171581020	<b>1.123 kr.</b>	Mobile LED Light DINORA 8010 IP54 5m H07RN-F 2x1.0 8000lm with socket *FR*	3281855810205	3,245 kg	94054039	1
1171590	<b>227 kr.</b>	10 + 1 LED Rechargeable Mini Lamp HL 0400 A, IP 40, 400+80lm	4007123654093	0,316 kg	85131000	1
1171620	<b>810 kr.</b>	Mobile Rechargeable LED Floodlight BLUMO 2000 A, 20W, 2100lm, IP54	4007123651870	2,412 kg	94054039	1
1171620010	<b>902 kr.</b>	Mobile Rechargeable LED Floodlight with Bluetooth® speaker BLUMO 3000 A 30W, 3000lm, IP54	4007123668212	2,410 kg	94054039	1
1171640	<b>325 kr.</b>	LED Rechargeable Outdoor Light OLI 310 AB with Bluetooth Speaker 350lm IP44	4007123667871	0,355 kg	85131000	1
1171670	<b>871 kr.</b>	Mobile Hybrid LED floodlight DARGO IP65, 3000lm, 30W, 5m H05RN-F 2x1.0, Hybrid, Powerbank	4007123654741	2,525 kg	94054099	1
1171680	<b>1.195 kr.</b>	Mobile Hybrid LED floodlight DARGO IP65, 4900lm, 50W, 5m H05RN-F 2x1.0, Hybrid, Powerbank	4007123654734	3,355 kg	94054099	1
1171900	<b>125 kr.</b>	Infrared Motion Detector PIR 180 IP44 Anthracite	4007123619344	0,210 kg	85365080	1
1171910	<b>144 kr.</b>	PIR Motion Detector PIR 240 IP44 anthracite	4007123619368	0,330 kg	85365080	1

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1172390	203 kr.	Halogen Light H 500 IP44 with PIR sensor 400W 8545lm white	4007123249329	1,140 kg	94054010	1
1172640002	59 kr.	Magnetic holder for Rechargeable LED Spot	4007123653201	0,120 kg	85051100	1
1172640005	83 kr.	USB charging adapter USB 5V/2A	4007123654192	0,085 kg	85044055	1
1172640007	108 kr.	Charger unit for 1171620 100-240VAC 50-60Hz 0.5A	4007123654819	0,175 kg	85044055	1
1172640010	119 kr.	Scaffolding holder for 1171670-1171682	4007123658275	0,160 kg	73269098	1
1172640011	83 kr.	Magnetic holder for 1171670-1171682	4007123658077	0,155 kg	85051100	1
1172640059	112 kr.	Tripod Crossbar CB 70	4007123663736	0,480 kg	73269098	1
1173090100	260 kr.	Mobile Rechargeable LED Floodlight PF 1000 MA 1000lm IP65	4007123668397	0,380 kg	94054039	1
1173100100	445 kr.	Mobile Rechargeable LED Floodlight RUFUS 1500 MA, 1500lm, IP65	4007123668434	1,035 kg	94054039	1
1173110100	637 kr.	Mobile Rechargeable LED Floodlight RUFUS 3000 MA, 3000lm, IP65	4007123668441	1,420 kg	94054039	1
1173110200	759 kr.	Mobile Rechargeable LED Floodlight RUFUS 3010 MA, 3000lm, IP65, with Bluetooth speaker	4007123668458	1,560 kg	94054039	1
1173110300	935 kr.	Mobile Rechargeable LED Floodlight RUFUS 3020 MA with colour rendering 15CRI 96, 2700lm, IP65	4007123668465	1,415 kg	94054039	1
1173180	148 kr.	LED Night Light Set NL 01 QD Set with twilight sensor 1 LED 1.5lm, 1x white, 1x pink, 1x blue	4007123637737	0,165 kg	94054039	6
1173190	51 kr.	LED Night Light NL 01 QS with switch 1 LED 1.5lm	4007123637744	0,076 kg	94054039	6
1173210	47 kr.	LED Nightlight OL 02R with twilight sensor	4007123610440	0,092 kg	94054039	4
1173220	47 kr.	LED Nightlight OL 02E with twilight sensor	4007123610457	0,099 kg	94054039	4
1173240	240 kr.	LED Sensor Safety Light SLA 16+2 B with PIR sensor 18 SMD LED 60lm, battery operated, flashlight	4007123641123	0,263 kg	85131000	4
1173260	110 kr.	LED Nightlight Color NL 09 RCD with twilight sensor and socket 9 LED 6lm 3 Colours	4007123637621	0,123 kg	94054039	6
1173280	144 kr.	LED Nightlight NL 09 MB with PIR sensor and twilight sensor 9 LED 25lm	4007123637676	0,121 kg	94054039	6
1173290	164 kr.	Battery LED Night Light NLB 02 BS with PIR sensor and push switch 2 LED 60lm 3x AA (included)	4007123637683	0,191 kg	94054039	6
1173900	300 kr.	LED Wall Light IP54 12W 830lm	4007123644087	1,138 kg	94054099	1
1175410010	116 kr.	SMD LED-Universal Lamp HL DB 81 M1H1 250+100lm	4007123641611	0,294 kg	85131000	1
1175420010	105 kr.	4+3 SMD LED-Universal Lamp HL DB43 MH 200+20lm	4007123641628	0,148 kg	85131000	10
1175430010	181 kr.	LED Rechargeable Hand Lamp HL 200 A 250+70lm	4007123663149	0,240 kg	85131000	1
1175570	745 kr.	LED Rechargeable Hand Lamp HL 700 AT 750+170lm IP54	4007123667901	0,610 kg	85131000	1
1175580	186 kr.	LED Workshop Rechargeable Light WL 500 A IP54 520lm	4007123667888	0,320 kg	85131000	1
1175590	137 kr.	LED Rechargeable Hand Lamp PL 200 A 200lm	4007123667802	0,090 kg	85131000	10
1175640	420 kr.	Rechargeable LED Hand Lamp HL 700 A, IP54, 700+100lm	4007123663415	0,355 kg	85131000	1
1175650010	468 kr.	6+1 LED Rechargeable Multi-Function Light HL DA61 MH, IP 54, 280+70lm	4007123641659	0,575 kg	85131000	1
1175670	290 kr.	6+1 LED Rechargeable Multi-Function Light HL2 DA 61 M3H2 300+100lm	4007123641642	0,460 kg	85131000	6
1175670100	325 kr.	LED Rechargeable Hand Lamp HL 500 A 500+120lm	4007123671588	0,465 kg	85131000	6
1175680	516 kr.	LED Rechargeable Hand Lamp HL 1000 A, IP54, 1000+200lm	4007123663422	0,600 kg	85131000	1
1175700	64 kr.	USB charging adapter USB 5V/1A	4007123647477	0,075 kg	85044055	1
1175890	248 kr.	4+1 LED Akku Clip-on Lamp HL DA 41 MC 200+150lm	4007123645831	0,230 kg	85131000	1
1175990010	63 kr.	LED Inspection Light Penlight HL 100 with clip and magnet 107+10lm	4007123663309	0,125 kg	85131000	10
1176026	65 kr.	Safety Inspection Lamp 5m H05VV-F 2x0,75 60W E27 Not allowed in EU!	4007123038855	0,620 kg	94054091	10
1176420	79 kr.	Safety Inspection Lamp 60W, 5m H05RN-F 2x0,75	4007123599431	0,620 kg	94054091	10
1176440	200 kr.	4 LED Rechargeable Hand Lamp HL DA 40 MH 200lm	4007123648238	0,230 kg	85131000	1
1176460	124 kr.	Rubber Handlamp 60W, 5m H05RN-F 2x0,75	4007123599394	0,960 kg	94054091	5
1177300	262 kr.	LuxPremium rechargeable LED Headlight KL 250AF, IP44, 250lm	4007123656769	0,243 kg	85131000	1
1177310	350 kr.	LuxPremium LED Rechargeable Sensor Headlamp SL 400 AF IP44 400lm	4007123667918	0,235 kg	85131000	1
1177370	302 kr.	Rechargeable LED Hand Lamp SANSA 400 A, 400lm	4007123657711	0,365 kg	94054039	1
1177650	136 kr.	Jet-Light bulb 55W 3600lm 66lm/W 6400K GR10q	4007123210206	0,250 kg	85393190	1
1178010	133 kr.	LED spotlights AL 1000 10W, 1060lm, IP44	4007123645763	0,445 kg	94054099	1
1178010010	229 kr.	LED spotlights AL 1000 P with infrared motion detector 10W, 1060lm, IP44	4007123653577	0,540 kg	94054099	1



Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1178020	210 kr.	LED spotlights AL 2000 20W, 2080lm, IP44	4007123645770	0,660 kg	94054099	1
1178020010	298 kr.	LED spotlights AL 2000 P with infrared motion detector 20W, 2080lm, IP44	4007123653584	0,765 kg	94054099	1
1178030	376 kr.	LED spotlights AL 3000, 30W, 3050lm, IP44	4007123645787	1,000 kg	94054099	1
1178030010	476 kr.	LED spotlights AL 3000 P with infrared motion detector 30W, 3050lm, IP44	4007123653591	1,135 kg	94054099	1
1178280	161 kr.	Halogen Light H 150 IP44 with PIR sensor 120W 2216lm white	4007123249572	0,675 kg	94054010	1
1178560230	25 kr.	Halogen bulb 230W 4644lm 20lm/W 2900K R7s	4007123619535	0,013 kg	85392192	10
1178580400	21 kr.	Halogen bulb 110V 400W 8545lm 21lm/W 2900K R7s	4007123619658	0,011 kg	85392192	10
1178590100	250 kr.	Rechargeable hand-held LED light HL 300 AD 300lm, with dynamo, hook, magnet, USB	4007123664375	0,440 kg	85131000	1
1178600051	108 kr.	LuxPremium Fokus-LED-Flashlight TL 100F IP54, CREE-LED, 100lm	4007123633579	0,103 kg	85131000	10
1178600161	140 kr.	LuxPremium Fokus-LED-Flashlight TL 250F IP44, CREE-LED, 250lm	4007123633586	0,215 kg	85131000	1
1178600162	166 kr.	LuxPremium Rechargeable-Fokus-LED-Flashlight TL 300 AF, IP44, CREE-LED, 350lm	4007123663163	0,275 kg	85131000	1
1178600201	263 kr.	LuxPremium Rechargeable-Focus-Selector-LED-Flashlight TL 400 AFS, IP44, CREE-LED, 430lm	4007123663170	0,360 kg	85131000	1
1178600401	298 kr.	LuxPremium Rechargeable-Focus-LED-Flashlight TL 600 AF, IP67, CREE-LED, 630lm	4007123663224	0,315 kg	85131000	1
1178600601	395 kr.	LuxPremium Rechargeable-Focus-LED-Flashlight TL 800 AF, IP67, CREE-LED, 860lm	4007123663156	0,685 kg	85131000	1
1178600800	457 kr.	LuxPremium Rechargeable-Focus-LED-Flashlight TL 1200 AF, IP67, CREE-LED, 20W 1250lm	4007123663408	0,450 kg	85131000	1
1178690	162 kr.	LuxPremium LED-Flashlight THL 300, IP54, 360+240lm	4007123663262	0,325 kg	85131000	10
1178740	127 kr.	LuxPrimera Focus 100 LED Flashlight IP54, CREE-LED, 70lm	4007123600014	0,135 kg	85131000	1
1178750	151 kr.	LuxPrimera Focus 150 LED Flashlight IP54, CREE-LED, 150lm	4007123600021	0,165 kg	85131000	1
1178760	133 kr.	LuxPremium LED-Headlight KL 100 IP44, 100lm	4007123636723	0,143 kg	85131000	10
1178780	220 kr.	LuxPremium LED-Headlight KL 200 F IP44, CREE-LED, 200lm	4007123636761	0,254 kg	85131000	1
1178900	254 kr.	Battery LED Light LUFOS 200 with infrared motion detector IP44 210lm	4007123656936	0,760 kg	94051040	1
1178900100	298 kr.	Battery LED Light LUFOS 400 with infrared motion detector IP44 440lm	4007123671533	0,775 kg	94051040	1
1178900200	404 kr.	Battery LED Light LUFOS 420 with infrared motion detector IP44 2x240lm	4007123671540	1,030 kg	94051040	1
1179280110	257 kr.	SMD LED Lamp L DN 2405 IP44 24x0,5W 950lm black	4007123633128	1,320 kg	94054099	1
1179280120	257 kr.	SMD LED Lamp L DN 2405 IP44 24x0,5W 950lm white	4007123633135	1,158 kg	94054099	1
1179290311	822 kr.	Sensor LED Spot Premium City SH 8005 PIR IP44 with PIR sensor 80x0,5W 3700lm anthracite	4007123632985	2,102 kg	94054099	1
1179290612	719 kr.	LED Light Premium City LH 562405 IP44 anthracite	4007123633081	1,988 kg	94054099	1
1179290623	946 kr.	LED Light Premium City LH 562405 PIR IP44 white, with PIR sensor	4007123633050	2,183 kg	94054099	1
1179890100	78 kr.	Eco-LED Laser Light 8xLED 45lm	4007123633807	0,144 kg	90132000	4
1179900	18 kr.	Site Bulb Fitting E27	4007123188963	0,038 kg	85366110	10
1181710	232 kr.	Garant G garden cable reel without cable	4007123000593	1,440 kg	85369095	1
1182470	789 kr.	Cable Reel Garant G CEE 2 IP44 20m AT-N07V3V3-F 3G2,5	4007123654451	5,580 kg	85444290	1
1182470100	1.039 kr.	Garant G CEE 3 IP 44 camping/maritime cable drum 25m H07RN-F 3G2,5	4007123673797	6,680 kg	85444290	1
1182720	1.359 kr.	Garant CEE 1 IP44 cable reel 30m H07RN-F 5G1,5	4007123004287	7,697 kg	85444290	1
1182730	1.150 kr.	Garant CEE 1 cable reel 30m H05VV-F 5G1,5	4007123004294	6,797 kg	85444290	1
1182760	898 kr.	Garant CEE 2 IP44 Industry/construction sites/camping cable drum 25m H07RN-F 3G2,5	4007123140572	6,503 kg	85444290	1
1182760100	955 kr.	Garant CEE 2 IP44 Industry/construction sites/camping cable drum 25m H07RN-F 3G2,5	4007123673988	6,503 kg	85444290	1
1182770	1.185 kr.	Garant CEE 1 IP44 cable reel 25m AT-N07V3V3-F 5G1,5	4007123152117	6,767 kg	85444290	1
1182773	1.159 kr.	Garant CEE 1 IP44 cable reel 25m AT-N07V3V3-F 5G1,5 *GB*	4007123630882	6,737 kg	85444290	1
1182778501	1.220 kr.	Garant CEE IP44 cable reel 25m AT-N07V3V3-F 5G1,5 1xCEE 400/16A, 2x230V *DK*	4007123172979	6,920 kg	85444290	1
1183520100	580 kr.	Garant G Bretec IP44 garden cable reel 23 + 2m AT-N05V3V3-F3G1,5 V1	4007123671243	3,900 kg	85444290	1
1183524	659 kr.	Garant G Bretec IP44 garden cable reel 25m AT-N05V3V3-F 3G1,5 *FR*	4007123628674	4,154 kg	85444290	1
1183530100	756 kr.	Garant G Bretec IP44 garden cable reel 38 + 2m AT-N05V3V3-F3G1,5	4007123671250	5,460 kg	85444290	1
1183534	1.013 kr.	Garant G Bretec IP44 garden cable reel 50m N05V3V3-F3G1,5 *FR*	4007123628681	6,770 kg	85444290	1
1184604010	644 kr.	Garant G Bretec Multi-Purpose IP44 Reel 25m H05VV-3G1,5 *BE/FR*	4007123671960	3,930 kg	85444290	1

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1184614	800 kr.	Garant G Bretec Multi-Purpose Reel 50m H05VV-F 3G1,5 *FR*	4007123055135	6,840 kg	85444290	1
1184614010	901 kr.	Garant G Bretec Multi-Purpose IP44 Reel 50m H05VV-3G1.5 *BE/FR*	4007123671977	6,640 kg	85444290	1
1188380301	944 kr.	Garant G cable reel IP44 38+2m H07RN-F3G1.5 with 3-fold rubber coupling	4007123670420	7,700 kg	85444290	1
1188470	840 kr.	Garant G IP44 garden cable reel 38 + 2m AT-N05V3V3-F 3G1,5	4007123093977	6,310 kg	85444290	1
1193200	1.854 kr.	Garant® S CEE 1 IP 44 cable reel 25m H07RN-F 5G2,5	4007123164967	11,647 kg	85444290	1
1193214	1.636 kr.	Garant S IP44 cable reel 40m H07RN-F 3G2,5 *FR*	4007123164998	11,220 kg	85444290	1
1195056	483 kr.	Garant S 4 E cable reel 25m H05VV-F 3G1,5	4007123011032	4,381 kg	85444290	1
1195066	772 kr.	Garant S 4 E cable reel 50m H05VV-F 3G1,5	4007123011049	7,330 kg	85444290	1
1198013	256 kr.	Garant S 3 cable reel without cable *GB*	4007123142026	2,067 kg	85369095	1
1198053	522 kr.	Garant S 3 cable reel 25m H05VV-F 3G1,5 *GB*	4007123133017	4,340 kg	85444290	1
1198057900	531 kr.	Garant SM 240 Cable Reel 3 ways 25mH05VV-F 3G1.5	4007123632763	4,340 kg	85444290	1
1198063	806 kr.	Garant S 3 cable reel 50m H05VV-F 3G1,5 *GB*	4007123133024	7,320 kg	85444290	1
1198067900	820 kr.	Garant SM 290 Cable Reel 3 ways 50m H05VV-F 3G1.5	4007123632862	7,320 kg	85444290	1
1198073	602 kr.	Cable Reel Garant S 110 V CEE 2 25 m H05VV-F 3G1,5	4007123140916	4,730 kg	85444290	1
1198093	989 kr.	Cable reel Garant-S290 40m H05VV-F3G2.5 *GB*	4007123166572	8,599 kg	85444290	1
1198260	1.185 kr.	Garant S IP44 cable reel 40m H05RR-F 3G2,5	4007123042494	8,507 kg	85444290	1
1198310	313 kr.	Garant S IP44 cable reel without cable	4007123117468	2,185 kg	85369095	1
1198314	325 kr.	Garant S IP44 cable reel without cable *FR*	4007123597802	2,410 kg	85369095	1
1198340	1.002 kr.	Garant S IP44 cable reel 40m H07RN-F 3G1,5	4007123021598	7,327 kg	85444290	1
1198350	981 kr.	Garant S IP44 cable reel 25m H07RN-F 3G2,5	4007123022878	7,007 kg	85444290	1
1198354130	943 kr.	Garant S IP44 Cable Reel 25m H07RN-F 3G2.5 *FR/BE*	4007123655434	7,007 kg	85444290	1
1198370	663 kr.	Garant S IP44 cable reel 25m AT-N07V3V3-F 3G1,5	4007123081349	4,867 kg	85444290	1
1198390	683 kr.	Garant S IP44 cable reel 25m H07RN-F3G1.5	4007123213979	4,867 kg	85444290	1
1198470	895 kr.	Garant S IP44 cable reel 40m AT-N07V3V3-F 3G1,5	4007123081356	6,727 kg	85444290	1
1198480	872 kr.	Garant S IP44 cable reel 25m AT-N07V3V3-F 3G2,5	4007123114771	7,007 kg	85444290	1
1198510	294 kr.	Garant S 4 cable reel without cable	4007123009282	1,807 kg	85369095	1
1198520	619 kr.	Garant S IP44 cable reel 25m H05RR-F 3G1,5	4007123009299	4,387 kg	85444290	1
1198530	959 kr.	Garant S IP44 cable reel 50m H05RR-F 3G1,5	4007123009305	8,380 kg	85444290	1
1198580	604 kr.	Garant S IP44 cable reel 25m AT-N05V3V3-F 3G1.5 black	4007123628230	4,250 kg	85444290	1
1198590	935 kr.	Garant S IP44 cable reel 50m AT-N05V3V3-F 3G1,5 black	4007123628247	7,000 kg	85444290	1
1198860	1.190 kr.	Garant S Bretec FI IP44 cable reel 40m H07RN-F 3G1,5	4007123147939	8,320 kg	85444290	1
1199000	401 kr.	Universal Sales Stand 62x50cm	4007123020621	13,860 kg	94032080	1
1199830	833 kr.	Garant S IP44 cable reel 50m AT-N05V3V3-F 3G1,5 blue	4007123603442	7,330 kg	85444290	1
1199840	720 kr.	Garant S IP44 cable reel 40m AT-N05V3V3-F 3G1,5	4007123603497	6,077 kg	85444290	1
1199844	795 kr.	Garant S IP44 cable reel 40m AT-N05V3V3-F 3G1,5 *FR*	4007123610549	6,720 kg	85444290	1
1199850	552 kr.	Garant S IP44 cable reel 25m AT-N05V3V3-F 3G1,5 blue	4007123603480	4,149 kg	85444290	1
1199854	592 kr.	Garant S IP44 cable reel 25m AT-N05V3V3-F 3G1,5 *FR*	4007123610532	4,320 kg	85444290	1
1199930	1.049 kr.	Garant S Bretec IP44 cable reel 50m AT-N05V3V3-F 3G1.5	4007123603503	8,280 kg	85444290	1
1205060600	687 kr.	Garant Cable Reel with USB-Charger 50m H05VV-F3G1.5	4007123661794	6,360 kg	85444290	1
1205066	719 kr.	Garant cable reel 50m H05VV-F 3G1,5 *EXP*	4007123008766	6,360 kg	85444290	1
1205066007	721 kr.	Garant cable reel 50m H05VV-F 3G1.5 with increased touch protection	4007123626823	6,360 kg	85444290	1
1208010	225 kr.	Garant cable reel without cable	4007123005307	1,240 kg	85369095	1
1208010007	214 kr.	Garant cable reel without cable with increased touch protection	4007123626779	1,140 kg	85369095	1
1208013	215 kr.	Garant cable reel without cable *GB*	4007123118977	1,460 kg	85369095	1
1208060	748 kr.	Garant cable reel 50m H05VV-F 3G1,5	4007123005345	6,496 kg	85444290	1

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1208063	<b>737 kr.</b>	Garant cable reel 50m H05VV-F 3G1,5 *GB*	4007123017591	6,600 kg	85444290	1
1208063600	<b>805 kr.</b>	Garant Cable Reel with USB-Charger 50m H05VV-F3G1.5 *GB*	4007123666171	6,440 kg	85444290	1
1208064	<b>734 kr.</b>	Garant cable reel 50m H05VV-F 3G1,5 *FR*	4007123005611	6,540 kg	85444290	1
1208067900	<b>749 kr.</b>	Garant M Cable Reel 290 50m H05VV-F 3G1,5 3-ways	4007123632756	6,600 kg	85444290	1
1208113	<b>654 kr.</b>	Garant cable reel 20m H05VV-F 3G2,5 *GB*	4007123118984	4,537 kg	85444290	1
1208123	<b>1.077 kr.</b>	Garant cable reel 40m H05VV-F 3G2,5 *GB*	4007123118991	8,100 kg	85444290	1
1208164	<b>615 kr.</b>	Garant cable reel sales pallet 50m H05VV-F 3G1,5 *FR*	4007123013388	7,479 kg	85444290	24
1208230	<b>944 kr.</b>	Garant IP44 cable reel 50m H05RR-F 3G1,5	4007123012022	7,970 kg	85444290	1
1208300	<b>1.039 kr.</b>	Garant cable reel 40m H05VV-F 3G2,5	4007123141920	7,967 kg	85444290	1
1208300007	<b>1.058 kr.</b>	Garant cable reel 40m H05VV-F 3G2.5 with increased touch protection	4007123626816	7,967 kg	85444290	1
1208310	<b>269 kr.</b>	Garant IP44 cable reel for site & professional without cable	4007123053117	1,526 kg	85444290	1
1208340	<b>1.230 kr.</b>	Garant IP44 cable reel 40m H05RR-F 3G2,5	4007123141333	7,727 kg	85444290	1
1208344	<b>1.212 kr.</b>	Garant cable reel 40m H05RR-F 3G2,5 *FR*	4007123042098	8,120 kg	85444290	1
1208380	<b>933 kr.</b>	Garant IP44 cable reel for site & professional 40m H07RN-F 3G1,5	4007123021581	7,669 kg	85444290	1
1208380007	<b>937 kr.</b>	Garant IP44 cable reel for site and professional 40m H07RN-F 3G1.5 with increased touch protection	4007123663903	7,669 kg	85444290	1
1208440	<b>910 kr.</b>	Garant IP44 cable reel for site & professional 25m H07RN-F 3G2.5	4007123141340	6,201 kg	85444290	1
1208440007	<b>910 kr.</b>	Garant IP44 cable reel for site and professional 25m H07RN-F 3G2.5 with increased touch protection	4007123637478	6,208 kg	85444290	1
1208444	<b>931 kr.</b>	Garant IP44 cable reel for site & professional 25m H07RN-F 3G2,5 *FR*	4007123038947	6,540 kg	85444290	1
1208470	<b>848 kr.</b>	Garant IP44 cable reel 40m AT-N07V3V3-F 3G1.5	4007123081264	6,247 kg	85444290	1
1208478501	<b>791 kr.</b>	Garant IP44 cable reel 40m AT-N05V3V3-F3G1,5 *DK*	4007123114726	6,247 kg	85444290	1
1208510	<b>858 kr.</b>	Garant Bretec FI IP44 cable reel 25m H07RN-F3G1,5	4007123664016	5,410 kg	85444290	1
1208590	<b>901 kr.</b>	Garant IP44 cable reel 50m AT-N05V3V3-F 3G1,5	4007123628223	6,490 kg	85444290	1
1208590007	<b>906 kr.</b>	Garant IP44 Cable Reel 290 3 ways 50m N05V3V3-F 3G1,5 with thermostat	4007123628612	6,158 kg	85444290	1
1208594	<b>856 kr.</b>	Garant IP44 cable reel 50m AT-N05V3V3-F 3G1,5 *FR*	4007123628667	6,300 kg	85444290	1
1208834	<b>901 kr.</b>	Garant Bretec IP44 cable reel 50m AT-N05V3V3-F 3G1.5 *FR*	4007123601363	7,400 kg	85444290	1
1208850	<b>581 kr.</b>	Garant Bretec cable reel 25m H05VV-F 3G1,5	4007123053865	3,850 kg	85444290	1
1208850007	<b>573 kr.</b>	Garant Bretec cable reel 25m H05VV-F 3G1.5 with increased touch protection	4007123626854	3,850 kg	85444290	1
1208853	<b>562 kr.</b>	Garant Bretec cable reel 25m H05VV-F 3G1,5 *GB*	4007123054893	4,100 kg	85444290	1
1208854	<b>557 kr.</b>	Garant Bretec cable reel 25m H05VV-F 3G1,5 *FR*	4007123055227	4,160 kg	85444290	1
1208860	<b>760 kr.</b>	Garant Bretec cable reel 50m H05VV-F 3G1,5	4007123012909	6,280 kg	85444290	1
1208863	<b>847 kr.</b>	Garant Bretec cable reel 50m H05VV-F 3G1,5 *GB*	4007123054909	6,900 kg	85444290	1
1208864	<b>851 kr.</b>	Garant Bretec cable reel 50m H05VV-F 3G1,5 *FR*	4007123015733	6,480 kg	85444290	1
1208930	<b>1.092 kr.</b>	Garant Bretec IP44 cable reel for site & professional 40m H07RN-F 3G1,5	4007123053896	6,810 kg	85444290	1
1208930007	<b>1.097 kr.</b>	Garant Bretec IP44 cable reel for site and professional 40m H07RN-F 3G1.5 with increased touch protection	4007123663927	6,810 kg	85444290	1
1208940	<b>654 kr.</b>	Garant Bretec IP44 cable reel 25m AT-N07V3V3-F 3G1.5	4007123105724	4,780 kg	85444290	1
1208948501	<b>621 kr.</b>	Garant Bretec 240 IP44 cable reel 4 ways orange 25m N07V3V3-F 3G1,5 sockets / thermo *DK*	4007123630318	3,774 kg	85444290	1
1208950	<b>929 kr.</b>	Garant Bretec IP44 cable reel 40m AT-N07V3V3-F 3G1,5	4007123105731	6,810 kg	85444290	1
1209050	<b>919 kr.</b>	Garant Bretec IP44 cable reel for site & professional 25m H07RN-F 3G2,5	4007123638093	6,780 kg	85444290	1
1209830	<b>925 kr.</b>	Garant IP44 cable reel 50m AT-N05V3V3-F 3G1,5 blue	4007123603435	7,260 kg	85444290	1
1209920	<b>661 kr.</b>	Garant Bretec IP44 Cable reel 25m AT-N05V3V3-F 3G1,5	4007123625468	3,794 kg	85444290	1
1209930	<b>875 kr.</b>	Garant Bretec IP44 Cable reel 50m AT-N05V3V3-F 3G1,5	4007123625475	7,380 kg	85444290	1
1215050600	<b>503 kr.</b>	Garant Cable Reel with USB-Charger 25m H05VV-F3G1.5	4007123661787	3,820 kg	85444290	1
1215056	<b>434 kr.</b>	Garant E cable reel 25m H05VV-F 3G1,5	4007123007899	3,820 kg	85444290	1
1215056007	<b>434 kr.</b>	Garant cable reel 25m H05VV-F 3G1.5 with increased touch protection	4007123626830	3,820 kg	85444290	1
1217020	<b>468 kr.</b>	Garant IP44 cable reel 20m H05RR-F 3G1,5 27 pieces on pallet	4007123016969	3,507 kg	85444290	1



Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1218050	462 kr.	Garant cable reel 25m H05VV-F 3G1,5	4007123007356	3,774 kg	85444290	1
1218053	455 kr.	Garant cable reel 25m H05VV-F 3G1,5 *GB*	4007123017584	3,900 kg	85444290	1
1218054	454 kr.	Garant cable reel 25m H05VV-F 3G1,5 *FR*	4007123007516	3,800 kg	85444290	1
1218057900	470 kr.	Garant M Cable Reel 240 25m H05VV-F 3G1,5 3-ways	4007123632749	3,900 kg	85444290	1
1218350	679 kr.	Garant IP44 cable reel for site & professional 25m H07RN-F 3G1,5	4007123054640	4,581 kg	85444290	1
1218350007	699 kr.	Garant IP44 cable reel for site and professional 25m H07RN-F 3G1.5 with increased touch protection	4007123626717	4,587 kg	85444290	1
1218370	621 kr.	Garant IP44 cable reel 25m AT-N07V3V3-F 3G1,5	4007123081271	4,207 kg	85444290	1
1218378501	573 kr.	Garant IP44 cable reel 25m AT-N05V3V3-F 3G1,5 *DK*	4007123114696	3,800 kg	85444290	1
1218580	570 kr.	Garant IP44 cable reel 25m AT-N05V3V3-F 3G1,5	4007123628216	3,720 kg	85444290	1
1218580007	581 kr.	Garant Cable Reel 240 IP 44 25m N05V3V3-F 3G1,5 with thermostat	4007123628605	3,586 kg	85444290	54
1218584	529 kr.	Garant IP44 cable reel 25m AT-N05V3V3-F 3G1,5 *FR/BE*	4007123628650	3,600 kg	85444290	1
1218584600	588 kr.	Garant IP44 cable reel 25m N05V3V3-F 3G1 with USB *FR*	4007123664368	3,600 kg	85444290	1
1218753	632 kr.	Garant cable reel with RCD-plug 30mA 25m H05VV-F 3G1,5 *GB*	4007123133000	3,960 kg	85444290	1
1218900	783 kr.	Garant Bretec IP44 cable reel for site & professional 25m H07RN-F 3G1,5	4007123251605	5,250 kg	85444290	1
1218900007	789 kr.	Garant Bretec IP44 cable reel for site and professional 25m H07RN-F 3G1.5 with increased touch protection	4007123663910	5,250 kg	85444290	1
1219850	575 kr.	Garant IP44 cable reel 25m AT-N05V3V3-F 3G1,5 blue	4007123603473	3,793 kg	85444290	1
1233120	1.464 kr.	Garant IP44 cable reel for site & professional 40m H07RN-F 3G2.5	4007123054800	10,147 kg	85444290	1
1233124	1.448 kr.	Garant IP44 cable reel for site & professional 40m H07RN-F 3G2,5 *FR*	4007123053834	10,620 kg	85444290	1
1237130	353 kr.	Water hose reel W 3220 20m Hose-Ø 1/2"	4007123670338	4,900 kg	39173300	1
1237980	1.980 kr.	Garant CEE 1 IP44 cable reel for site & industry 30m H07RN-F 5G2,5	4007123054787	11,087 kg	85444290	1
1237988501	1.984 kr.	Garant CEE 1 IP44 cable reel for site & industry 30m H07RN-F 5G2,5 *DK*	4007123061471	11,960 kg	85444290	1
1237990	1.499 kr.	Garant CEE 1 IP44 cable reel for site & industry 20m H07RN-F 5G2,5	4007123189335	8,222 kg	85444290	1
1238073	1.288 kr.	Garant CEE 2 IP44 Cable Reel 40m AT-N07V3V3-F 3G2.5	4007123081165	9,800 kg	85444290	1
1238930	1.414 kr.	Garant Bretec IP44 cable reel for site & professional 50m H07RN-F 3G1,5	4007123053940	9,410 kg	85444290	1
1240321300	1.063 kr.	Automatik-Box Air ABA 10+2m 8/12mm, max 12 bar, connector 1/4" and	3281853213008	4,360 kg	39173300	1
1241000	855 kr.	Automatic Cable Reel IP44 9+2m H07RN-F 3G1,5	4007123616664	5,030 kg	85444290	1
1241000300	1.109 kr.	Automatic Cable Reel IP44 16+2m H07RN-F 3G1,5	4007123616671	7,370 kg	85444290	1
1241003110	1.161 kr.	Cable reel automatic 110V 16+2m H07RN-F 3G1,5 *GB*	4007123622580	6,020 kg	85444290	1
1241003300	1.151 kr.	Automatic Rewind Cable Reel 16+2m H07RN-F 3G1,5 *GB*	4007123621699	6,020 kg	85444290	1
1241004300	1.196 kr.	Automatic Cable Reel IP44 16+2m H07RN-F 3G1,5 *FR*	4007123630660	7,336 kg	85444290	1
1241013110	841 kr.	Automatic Cable Reel IP44 9+2m H07RN-F 3G1.5 110V *GB*	4007123635740	5,030 kg	85444290	1
1241020300	570 kr.	Automatic Cable Reel IP20 9+2m H05VV-F 3G1,5	4007123616657	3,070 kg	85444290	1
1241023300	596 kr.	Automatic Rewind Cable Reel 9+2m H05VV-F 3G1,5 *GB*	4007123621705	3,100 kg	85444290	1
1241024300	619 kr.	Automatic Cable Reel IP20 9+2m H05VV-F 3G1,5 *FR*	4007123630554	2,995 kg	85444290	1
1256000398	543 kr.	Premium-Line 30.000A extension socket with surge protection 8-way Duo black 3m H05VV-F 3G1.5	4007123095933	1,050 kg	85444290	1
1256053378	480 kr.	Premium-Line 30.000A extension socket with surge protection 8-way Duo black/light grey 3m 05VV-F 3G1,25	4007123110568	1,175 kg	85444290	2
1256550018	264 kr.	Premium-Line Technics extension socket 8-way Duo black/light grey 3m H05VV-F 3G1,5 with every 4	4007123052684	0,955 kg	85444290	1
1256550378	496 kr.	Premium-Line 30.000A extension socket with surge protection 8-way Duo light grey 3m H05VV-F 3G1.5	4007123095964	0,960 kg	85444290	1
1256554828	511 kr.	Premium-Protect-Line Technics 30.000A extension socket with surge protection 8-way Duo light grey 3m	4007123100637	1,090 kg	85444290	2
1270120	35 kr.	Bulk Head Light IP44 60W grey	4007123031344	0,450 kg	94051021	4
1270420	32 kr.	Coloured Bulk Head Light IP44 60W white	4007123031375	0,455 kg	94051021	4
1270720	62 kr.	Coloured Round Lamp IP44 100W white	4007123031429	0,950 kg	94051021	2
1270780	65 kr.	LED Oval Lamp L DN 3002 IP44 grey 5.5W 460lm	4007123641680	0,312 kg	94054039	8
1270780010	90 kr.	LED Oval Lamp OL 1600 1600lm, white, IP65	4007123668175	0,356 kg	94054039	1
1270780110	160 kr.	LED oval luminaire OL 1600 P with infrared motion detector 1600lm, white, IP54	4007123668045	0,338 kg	94054039	1

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1270790010	147 kr.	LED Round Lamp RL 1600 1600lm, IP65, white	4007123668052	0,649 kg	94054039	1
1270790110	217 kr.	LED round lamp RL 1600 P with Infrared motion detector 1600lm, white, IP54	4007123668069	0,683 kg	94054039	1
1290000	38 kr.	Magnet Assembly Plate BR 1000 for smoke detector	4007123637096	0,062 kg	73269098	1
1290050	206 kr.	Smoke detector RM L 3100	4007123631636	0,150 kg	85311030	1
1290080	74 kr.	Smoke Detector RM C 9010	4007123640911	0,163 kg	85311030	1
1290090	338 kr.	brennenstuhl@Connect WiFi Smoke and heat detector WRHM01	4007123664665	0,261 kg	85311030	1
1290631	210 kr.	Circuit breaker adapter BDI-A 30 IP54 *FR*	3281852906314	0,231 kg	85363010	1
1290633	215 kr.	Circuit Breaker Plug-in Adapter BDI-A 30 *GB*	4007123593804	0,200 kg	85363010	1
1290643	205 kr.	Circuit breaker plug BDI-S 30 *GB*	4007123593828	0,244 kg	85363010	1
1290660	208 kr.	Circuit Breaker Plug-in Adapter BDI-A 2 30 IP54	4007123641130	0,260 kg	85363010	1
1290670	200 kr.	Circuit Breaker Plug BDI-S 2 30 IP55	4007123641147	0,254 kg	85363010	1
1290940	343 kr.	PMR Walkie Talkie TRX 3500 with 2 Walkie Talkies and 8 channels	4007123632725	0,255 kg	85176990	1
1291210	121 kr.	Fire Blanket BLD-02 120x120cm	4007123640867	0,981 kg	70193900	6
1291490	237 kr.	CO Detector CM L 4050	4007123641581	0,251 kg	85311030	1
1294100	659 kr.	Home Automation Gateway GWY 433	4007123620890	0,301 kg	85176200	1
1294840	186 kr.	brennenstuhl@Connect WiFi socket with 433MHz transmitter WA 3600 LRF01 433	4007123663484	0,198 kg	85365080	1
1294850	147 kr.	brennenstuhl@Connect WiFi socket WA 3000 XS01 white IP20	4007123663446	0,162 kg	85365080	1
1294851	150 kr.	brennenstuhl@Connect WiFi socket WA 3000 XS01 white IP20 *FR/BE*	4007123665204	0,155 kg	85365080	1
1294860	189 kr.	brennenstuhl@Connect WiFi socket WA 3000 XS02 black IP44	4007123663453	0,182 kg	85365080	1
1294861	189 kr.	brennenstuhl@Connect WiFi socket WA 3000 XS02 black IP44 *FR*	4007123665242	0,168 kg	85365080	1
1297150	105 kr.	Electronic Multi-Tester MT 6S/2	4007123249916	0,086 kg	90303100	5
1298680	231 kr.	Moisture Detector MD	4007123249893	0,160 kg	90258040	1
1308200	1.322 kr.	Super-Solid IP44 cable reel for site & professional 40m H07RN-F 3G2,5	4007123596614	11,735 kg	85444290	1
1308204	1.343 kr.	Super-Solid IP44 cable reel for site & professional 40m H07RN-F 3G2,5 *FR*	4007123596584	11,735 kg	85444290	1
1308400	676 kr.	Super-Solid IP44 cable reel for site & professional 25m H07RN-F 3G1,5	4007123596522	5,470 kg	85444290	1
1308900	908 kr.	Super-Solid IP44 cable reel for site & professional 40m H07RN-F 3G1,5	4007123591961	7,800 kg	85444290	1
1308900007	917 kr.	Super-Solid IP44 cable reel for site and professional 40m H07RN-F 3G1.5 with increased touch protection	4007123626670	7,800 kg	85444290	1
1308910	881 kr.	Super-Solid IP44 cable reel for site & professional 25m H07RN-F 3G2,5	4007123591978	7,204 kg	85444290	1
1308914	885 kr.	Super-Solid IP44 cable reel for site & professional 25m H07RN-F 3G2,5 *FR*	4007123596591	7,206 kg	85444290	1
1308953	728 kr.	Super-Solid cable reel 50m H05VV-F 3G1,5 *GB*	4007123576500	7,061 kg	85444290	1
1308953110	851 kr.	Super-Solid 110V CEE 2 cable reel 50m H05VV-F 3G1,5	4007123576517	7,395 kg	85444290	1
1311000	397 kr.	Brobusta IP44 cable reel for site & professional without cable	4007123057870	3,280 kg	85369095	1
1311244	2.742 kr.	Brobusta FI IP44 cable reel for site & professional 40m H07RN-F 3G2,5 *FR*	4007123101429	14,360 kg	85444290	1
1311254	2.259 kr.	Brobusta FI IP44 cable reel for site & professional 25m H07RN-F3G2,5*FR*	4007123166916	11,020 kg	85444290	1
1312500	1.128 kr.	Brobusta Bretec IP44 cable reel for site & professional 40m H07RN-F 3G1,5	4007123057979	8,392 kg	85444290	1
1312604	1.215 kr.	Brobusta Bretec IP44 cable reel for site & professional 25m H07RN-F 3G2,5 *FR*	4007123061204	8,420 kg	85444290	1
1312824	1.566 kr.	Brobusta Bretec IP44 cable reel for site & professional 40m H05RR-F 3G2,5 *FR*	4007123061211	10,180 kg	85444290	1
1316200	2.080 kr.	Brobusta CEE 1 IP44 cable reel 40m H07RN-F 5G1,5	4007123058112	11,752 kg	85444290	1
1316300	2.275 kr.	Brobusta CEE 1 IP44 cable reel for site & industry 30m H07RN-F 5G2,5	4007123058129	12,612 kg	85444290	1
1317334	1.908 kr.	Brobusta G Bretec IP44 cable reel for site & professional with powerblock 40m H07RN-F 3G2,5 *FR*	4007123061266	12,140 kg	85444290	1
1317440	1.076 kr.	Brobusta IP44 cable reel for site & professional 25m H07RN-F 3G2,5	4007123100835	7,662 kg	85444290	1
1317704	1.663 kr.	Brobusta Bretec IP44 cable reel for site & professional 40m H07RN-F 3G2,5 *FR*	4007123061228	12,200 kg	85444290	1
1317714	1.566 kr.	Brobusta IP44 cable reel for site & professional 40m H07RN-F 3G2,5 *FR*	4007123104413	12,140 kg	85444290	1
1317724	468 kr.	Brobusta IP44 cable reel for site & professional without cable *FR*	4007123117451	3,880 kg	85444290	1
1318930	1.108 kr.	Brobusta IP44 cable reel for site & professional 40m H07RN-F 3G1,5	4007123100842	8,362 kg	85444290	1

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1318940	1.558 kr.	Brobusta IP44 cable reel for site & professional 40m H07RN-F 3G2,5	4007123105694	11,312 kg	85444290	1
1319000	668 kr.	Brobusta G Storage Reel - Empty Reel-Ø 380mm	4007123058266	6,200 kg	85369095	1
1319014	2.174 kr.	Brobusta IP44 cable reel for site & professional 50m H07RN-F 3G2,5 *FR*	4007123061235	15,620 kg	85444290	1
1319104	3.222 kr.	Brobusta CEE 1 IP44 cable reel for site & professional 40m H07RN-F 5G2,5 *FR*	4007123061242	18,520 kg	85444290	1
1319110010	3.251 kr.	Brobusta CEE 4 IP44 cable reel for site & professional 40m H07RN-F 5G2,5	4007123667628	19,520 kg	85444290	1
1319200010	5.405 kr.	Brobusta CEE 2 FI IP44 cable reel on a chassis for site & professional 30m H07RN-F 5G4.0	4007123667611	24,262 kg	85444290	1
1319214	5.866 kr.	Brobusta CEE 2 FI IP44 cable reel on a chassis for site & professional 30m H07RN-F 5G4.0 *FR*	4007123061259	25,940 kg	85444290	1
1326614	971 kr.	Garant G ROL'UP Bretec garden cable reel 50m H05VV-F 3G1,5 *FR*	4007123079483	8,500 kg	85444290	1
1390007004	187 kr.	Alu-Line 10" extension socket for cabinets 4-way 2m H05VV-F 3G1,5 black/silver	4007123662685	0,610 kg	85444290	1
1390007009	265 kr.	Alu-Line 19" extension socket for cabinets 9-way black/silver 2m H05VV-F 3G1,5, without switch	4007123592104	0,796 kg	85444290	1
1390007018	256 kr.	Alu-Line 19" extension socket 8-way 2m H05VV-F 3G1,5 with switch, black/silver	4007123592111	0,788 kg	85444290	1
1390007112	324 kr.	Alu-Line 19" Extension Socket For Cabinets 12-way 2m H05VV-F 3G1,0 black/silver	4007123662692	0,880 kg	85444290	1
1390007118	260 kr.	Alu-Line 19" extension socket for switch cabinets with 10A circuit breaker and IEC plug C14 8-way silver/red	4007123662708	0,730 kg	85444290	1
1390007308	293 kr.	Alu-Line 19.500 A extension socket with surge protection 19" 8-way 2m H05VV-F3G1,5	4007123662715	0,780 kg	85444290	1
1391000010	263 kr.	Premium-Alu-Line extension socket 10-way 3m H05VV-F 3G1.5	4007123141623	1,302 kg	85444290	1
1391000012	393 kr.	Premium-Alu-Line Technics extension socket 12-way 3m H05VV-F 3G1.5 every 6 sockets switched	4007123140404	1,600 kg	85444290	1
1391000014	150 kr.	Premium-Alu-Line extension socket 4-way 1,8m H05VV-F 3G1,5	4007123141562	0,735 kg	85444290	2
1391000016	194 kr.	Premium-Alu-Line extension socket 6-way 3m H05VV-F 3G1.5	4007123141586	1,040 kg	85444290	2
1391000018	227 kr.	Premium-Alu-Line extension socket 8-way 3m H05VV-F 3G1.5	4007123141609	1,190 kg	85444290	1
1391000078	269 kr.	Premium-Alu-Line Technics extension socket 6-way 3m H05VV-F 3G1,5 every 2 sockets switched	4007123148448	1,470 kg	85444290	1
1391000536	292 kr.	Premium-Alu-Line Extension Socket With USB-Charger 6-way 3m H05VV-F 3G1.5	4007123662982	1,150 kg	85444290	2
1391000537	596 kr.	Premium-Protect-Line 60.000A Extension Socket With Surge Protection With USB-Charger 6-way 3m	4007123662944	1,340 kg	85444290	1
1391000547	809 kr.	Premium-Protect-Line 60.000A Extension Socket with Surge Protection with USB-Charger & Power-Delivery	4007123670024	1,630 kg	85444290	1
1391000604	493 kr.	Premium-Protect-Line 60.000A extension socket with surge protection 4-way 3m H05VV-F 3G1,5	4007123600984	1,197 kg	85444290	1
1391000607	527 kr.	Premium-Protect-Line 60.000A extension socket with surge protection 6-way 3m H05VV-F 3G1,5	4007123600991	1,310 kg	85444290	1
1391000608	564 kr.	Premium-Protect-Line 60.000 A 8-way 3 m H05VV-F 3G1,5	4007123599615	1,550 kg	85444290	1
1391000908	366 kr.	Premium-Alu-Line Technics extension socket 8-way Duo black 3m H05VV-F 3G1.5 with every 4 sockets	4007123650422	1,265 kg	85444290	2
1391000912	408 kr.	Premium-Alu-Line Technics extension socket 12-way Duo black 3m H05VV-F 3G1.5 with every 6 sockets	4007123650439	1,445 kg	85444290	2
1391000916	461 kr.	Premium-Alu-Line Technics extension socket 16-way Duo black 3m H05VV-F 3G1.5 with every 8 sockets	4007123650446	1,689 kg	85444290	2
1391003014	158 kr.	Premium-Alu-Line extension socket 4-way 1,8m 05VV-F 3G1,25 *GB*	4007123142071	0,735 kg	85444290	4
1391003016	207 kr.	Premium-Alu-Line extension socket 6-way 3m 05VV-F 3G1,25 *GB*	4007123142095	1,040 kg	85444290	4
1391003018	267 kr.	Premium-Alu-Line extension socket 8-way 3m 05VV-F 3G1,25	4007123166596	1,436 kg	85444290	4
1391003515	298 kr.	Premium-Alu-Line FB Extension Socket With Safety Fuse Button And USB-Charger 5-way 3m H05VV-F	4007123648573	1,250 kg	85444290	4
1391003644	215 kr.	Premium-Alu-Line Extension Socket FB with Safety Fuse Button 4-way 3m H05VV-F 3G1.5 black/silver with	4007123643066	1,057 kg	85444290	4
1391003646	250 kr.	Premium-Alu-Line Extension Socket Fb with Safety Fuse Button 6-way 3m H05VV-F 3G1.5 black/silver with	4007123643127	1,244 kg	85444290	4
1391003654	244 kr.	Premium-Alu-Line Extension Socket FB with Safety Fuse Button 4-way 5m H05VV-F 3G1.5 black/silver with	4007123643097	1,280 kg	85444290	4
1391003900	581 kr.	Premium-Duo-ALU-Line technics extension socket with safety fuse button and USB-Charger 2x6-way 3m	4007123663576	1,981 kg	85444290	2
1391004010	239 kr.	Premium-Alu-Line extension socket 10-way 3m H05VV-F 3G1.5 *FR/BE*	4007123670192	1,230 kg	85444290	2
1391004014	140 kr.	Premium-Alu-Line extension socket 4-way 1,8m H05VV-F 3G1,5 *FR*	4007123149957	0,770 kg	85444290	2
1391004016	185 kr.	Premium-Alu-Line extension socket 6-way 3m H05VV-F 3G1,5 *FR/BE*	4007123667413	0,940 kg	85444290	2
1391004604	477 kr.	Premium-Protect-Line 60.000A extension socket with surge protection 4-way 3m H05VV-F 3G1,5 *FR*	4007123602810	1,197 kg	85444290	1
1391004607	499 kr.	Premium-Protect-Line 60.000 A 6-way 3 m H05VV-F 3G1,5 *FR*	4007123602834	1,290 kg	85444290	1
1391004608	627 kr.	Premium-Protect-Line 60.000A extension socket with surge protection 8-way 3m H05VV-F 3G1,5 *FR*	4007123602858	1,500 kg	85444290	1
1391005116	201 kr.	Premium-Alu-Line extension socket 6-way 3m H05VV-F 3G1,5 *DK*	4007123174560	1,050 kg	85444290	2
1391006603	454 kr.	Premium-Protect-Line 60.000A extension socket with surge protection 6-way 3m H05VV-F 3G1,5	4007123596317	1,247 kg	85444290	1



Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1391007135	218 kr.	Premium-Alu-Multi-Line extension socket 5-way 3m 05VV-F 3G1,25 black/silver For NON-European	4007123565900	1,356 kg	85444290	4
1391007155	228 kr.	Premium-Alu-Multi-Line extension socket 5-way 5m 05VV-F 3G1,25 black/silver For NON-European	4007123592487	1,356 kg	85444290	4
1391007333	167 kr.	Premium-Alu-Multi-Line extension socket 3-way 3m 05VV-F 3G1.25 blue/silver with GB plug *GB*	4007123642526	1,020 kg	85444290	4
1391007553	188 kr.	Premium-Alu-Multi-Line extension socket 3-way 5m 05VV-F 3G1.25 alu/grey with GB plug *GB*	4007123642519	1,020 kg	85444290	4
1392000230	1.177 kr.	Premium-Protect-Line 120.000A automatic extension socket with surge protection and USB-Charger 11-way	4007123663026	2,377 kg	85444290	1
1392000232	906 kr.	Premium-Protect-Line 120.000A extension socket with surge protection and USB-Charger 14-way DUO 3m	4007123662951	2,330 kg	85444290	1
1394000414	183 kr.	Alu-Office-Line extension socket 4-way 1,8m H05VV-F 3G1,5	4007123249244	0,889 kg	85444290	1
1394000416	235 kr.	Alu-Office-Line extension socket 6-way 3m H05VV-F 3G1.5	4007123249251	1,175 kg	85444290	1
1394000534	283 kr.	Alu-Office-Line Extension Sockets with USB-charger 4-way 1.8m H05VV-F 3G1.5	4007123663002	0,916 kg	85444290	1
1394000544	497 kr.	Alu-Office-Line Extension Sockets with USB Power Delivery & USB-charger 4-way 1.8m H05VV-F 3G1.5	4007123670017	1,190 kg	85444290	1
1394003416	259 kr.	Alu-Office-Line extension socket 6-way 3m 05VV-F 3G1,25 *GB*	4007123561698	1,175 kg	85444290	1
1394004534	271 kr.	Alu-Office-Line Extension Sockets with USB-charger 4-way 1.8m H05VV-F 3G1.5 *FR/BE*	4007123667475	1,010 kg	85444290	1
1395000416	481 kr.	Alu-Office-Line 60.000A extension socket with surge protection 6-way 3m H05VV-F 3G1.5	4007123249275	1,505 kg	85444290	1
1395000534	505 kr.	Alu-Office-Line 60.000A Extension Socket with Surge Protection with USB-charger 4-way 1.8m H05VV-F	4007123662890	1,320 kg	85444290	1
1396050072	258 kr.	Premium-Alu-Line Technics extension socket 6-way 3m H05VV-F 3G1,5 2 permanent, 4 switchable	4007123606146	1,120 kg	85444290	1
1396200003	223 kr.	Tower Power Table Extension Socket 3-way 2m H05VV-F 3G1.5	4007123632855	0,700 kg	85444290	1
1396200013	331 kr.	Tower Power USB-Charger Desktop Extension Socket 3-way with 2-port USB charger 2m H05VV-F 3G1,5,	4007123638956	0,777 kg	85444290	1
1396200023	419 kr.	Tower Power USB-Charger and LAN Pop-Up extension socket 3-way 2xLAN-RJ45, 2xUSB, 2m H05VV-F	4007123667321	1,070 kg	85444290	1
1396200113	699 kr.	Indesk Power USB charger table outlet strip	4007123656660	1,080 kg	85444290	1
1396201003	218 kr.	Tower Power Table Extension Socket 3-way 2m H05VV-F 3G1.5 with switch	3281852010035	0,784 kg	85444290	1
1396201013	327 kr.	Tower Power USB-Charger Desktop Extension Socket 3-way 2m H05VV-F 3G1.5 with switch	3281852010134	0,784 kg	85444290	1
1396203003	237 kr.	Tower Power Pop-Up Extension Socket 3-way 2m H05VV-F 3G1.5 Retracts into the desktop *GB*	4007123637461	0,784 kg	85444290	1
1396203013	351 kr.	Tower Power Pop-Up Extension Socket with USB-Charger 3-way 2m H05VV-F 3G1.5 with 2x USB and	4007123645381	0,828 kg	85444290	1
1401230	366 kr.	Aluminium Stepladder with Work-Tray 3 rungs Platform height 0,54m	4007123020102	3,430 kg	76169990	1
1401240	431 kr.	Aluminium Stepladder with Work-Tray 4 rungs Platform height 0,8m	4007123020119	4,070 kg	76169990	1
1401250	546 kr.	Aluminium Stepladder with Work-Tray 5 rungs Platform height 0,97m	4007123020126	4,480 kg	76169990	1
1401260	679 kr.	Aluminium Stepladder with Work-Tray 6 rungs Platform height 1,19m	4007123020133	5,410 kg	76169990	1
1401270	848 kr.	Aluminium Stepladder with Work-Tray 7 rungs Platform height 1,5m	4007123020140	7,030 kg	76169990	1
1401280	929 kr.	Aluminium Stepladder with Work-Tray 8 rungs Platform height 1,62m	4007123020157	7,850 kg	76169990	1
1402030	442 kr.	Aluminium Double-Sided Stepladder 2x3 rungs Height of stepladder 0,61m	4007123020171	2,600 kg	76169990	1
1402040	537 kr.	Aluminium Double-Sided Stepladder 2x4 rungs Height of stepladder 0,82m	4007123020188	3,400 kg	76169990	1
1402050	625 kr.	Aluminium Double-Sided Stepladder 2x5 rungs Height of stepladder 1,04m	4007123020195	4,300 kg	76169990	1
1402060	738 kr.	Aluminium Double-Sided Stepladder 2x6 rungs Height of stepladder 1,25m	4007123020201	5,200 kg	76169990	1
1402070	879 kr.	Aluminium Double-Sided Stepladder 2x7 rungs Height of stepladder 1,46m	4007123020218	7,900 kg	76169990	1
1402080	978 kr.	Aluminium Double-Sided Stepladder 2x8 rungs Height of stepladder 1,68m	4007123020225	9,200 kg	76169990	1
1440840	346 kr.	Saw Horse MB 150 S	4007123112319	8,775 kg	73269098	2
1444610	312 kr.	Extending workstand MB 120 KH with quick-clamping system	4007123147687	6,615 kg	73269098	2
1444700	313 kr.	Telescopic extending workstand MB 160 H	4007123101641	6,710 kg	73269098	2
1444800	171 kr.	Steel Workstand MB 110	4007123101658	3,307 kg	73269098	4
1481040	600 kr.	Wooden Stepladder 2x4 rungs Height of stepladder 1,2m	4007123029365	7,400 kg	44219999	1
1481050	751 kr.	Wooden Stepladder 2x5 rungs Height of stepladder 1,32m	4007123029372	9,000 kg	44219999	1
1481060	900 kr.	Wooden Stepladder 2x6 rungs Height of stepladder 1,58m	4007123029389	10,500 kg	44219999	1
1481070	1.065 kr.	Wooden Stepladder 2x7 rungs Height of stepladder 1,84m	4007123029396	12,000 kg	44219999	1
1481080	1.215 kr.	Wooden Stepladder 2x8 rungs Height of stepladder 2,11m	4007123029402	14,000 kg	44219999	1
1485010	533 kr.	Wooden Stepladder and Trestle HAB 150	4007123030453	5,010 kg	44219999	1

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1500530	206 kr.	Diamond stylus 2.5 x 18mm	4007123011964	0,002 kg	84679900	1
1500540	51 kr.	Sintered carbide stylus	4007123020492	0,002 kg	84679900	1
1500740	252 kr.	Signograph 25 Set	4007123002566	0,455 kg	84672985	1
1500743	265 kr.	Signograph 25 Set *GB*	4007123051649	0,460 kg	84672985	1
1500760	510 kr.	Signograph 25 Diamant-Set	4007123012312	0,455 kg	84672985	1
1500763	530 kr.	Signograph 25 Diamant-Set *GB*	4007123051656	0,460 kg	84672985	1
1506120	85 kr.	Timer with twilight sensor DDT IP44 anthracite	4007123667253	0,215 kg	91070000	1
1506160	47 kr.	24-hour Timer MMZ 20 IP20 white	4007123634088	0,121 kg	91070000	6
1506160048	41 kr.	24-hour Timer MMZ 20 IP20 white UP 48 in export box	4007123634811	0,132 kg	91070000	48
1506170	64 kr.	24 hour Timer MMZ 44 IP44	4007123634095	0,175 kg	91070000	6
1506241	144 kr.	Energy Monitor EM 231 *FR*	3281855062413	0,190 kg	90283011	1
1506320	110 kr.	Comfort Line digital weekly time switch	4007123665303	0,212 kg	91070000	1
1506321	110 kr.	Comfort Line digital weekly time switch	3281855063212	0,216 kg	91070000	1
1506361	45 kr.	BAT Timer MMZ 20A *FR*	3281855063618	0,125 kg	91070000	6
1506450	47 kr.	24 hour Timer MZ 20-1	4007123104529	0,170 kg	91070000	6
1506453	51 kr.	24 hour Timer MZ 20 *GB*	4007123150007	0,206 kg	91070000	6
1506454	49 kr.	24 hour timer MZ 20 *FR*	4007123116751	0,170 kg	91070000	6
1506460	71 kr.	24 hour Timer MZ 44 DE IP44	4007123104543	0,280 kg	91070000	6
1506464	70 kr.	24 hour Timer MZ 44 IP44 *FR*	4007123164615	0,284 kg	91070000	6
1506530	60 kr.	Primera-Line Mechanical Timer MT 20	4007123247806	0,230 kg	91070000	2
1506551	88 kr.	BAT Weekly Timer DZ 20 *FR*	3281855065513	0,225 kg	91070000	6
1506590	48 kr.	Mechanical Countdown Timer MC 120	4007123566068	0,151 kg	91070000	6
1506600	164 kr.	Primera-Line Wattage and current meter PM 231 E	4007123598083	0,218 kg	90283011	1
1506601	163 kr.	Primera-Line Wattage and current meter PM 231 E *FR*	3281855066015	0,222 kg	90283011	1
1506603	167 kr.	Primera-Line Wattage and current meter PM 231 E *GB*	4007123598076	0,213 kg	90283011	1
1506696	81 kr.	Digital Weekly Timer in colourful display-packaging	4007123652860	0,220 kg	91070000	6
1506706	116 kr.	Digital 7 Day Weekly Timer IP44 in colourful display-packaging	4007123652891	0,290 kg	91070000	6
1506950	94 kr.	Primera-Line 13.500A surge protected adapter	4007123191482	0,150 kg	85363010	2
1506951	97 kr.	Primera-Line 13.500A surge protected adapter *FR*	3281855069511	0,175 kg	85363010	2
1506953	101 kr.	Primera-Line surge protected adapter 13.500 A SP 240 *GB*	4007123191499	0,168 kg	85363010	6
1506996	68 kr.	Voltage surge protective adapter 13.500A Anthracite	4007123652853	0,145 kg	85363010	2
1507030	204 kr.	Comfort-Line Remote Control Set 2x IP44	4007123643547	0,391 kg	85365080	1
1507031	204 kr.	Comfort-Line Remote Control Set RC CE1 0201 IP44 *FR*	3281855070319	0,380 kg	85365080	4
1507040	235 kr.	Comfort-Line Remote Control Set 3x IP20	4007123643554	0,480 kg	85365080	1
1507041	233 kr.	Comfort-Line Remote Control Set RC CE1 3001 *FR*	3281855070418	0,480 kg	85365080	4
1507043	236 kr.	Comfort-Line Remote Control Set RC CE1 3001 1x 4 channel sender, 3x remote receivers sockets IP20	4007123651658	0,486 kg	85365080	4
1507050	275 kr.	Comfort-Line Remote Control Set 4x IP20	4007123643561	0,545 kg	85365080	1
1507150	181 kr.	Remoty Control Set RCS 1000 N Comfort	4007123653607	0,305 kg	85365080	2
1507220	53 kr.	LED Nightlight OL 02 with twilight sensor	4007123148394	0,092 kg	94054039	4
1507473	292 kr.	Primera-Line Remote control set RC 3600 *GB*	4007123192076	0,575 kg	85365080	6
1507490	150 kr.	Primera-Line Digital Weekly Timer DT IP44	4007123192021	0,245 kg	91070000	2
1507491	148 kr.	Primera-Line Digital Weekly Timer DT IP44 *FR*	3281855074911	0,257 kg	91070000	2
1507500	139 kr.	Primera-Line Digital Weekly Timer DT	4007123192038	0,242 kg	91070000	2
1507501	135 kr.	Primera-Line Digital Weekly Timer DT *FR*	3281855075017	0,240 kg	91070000	2
1507503	141 kr.	Primera-Line Digital Weekly Timer DT *GB*	4007123192137	0,225 kg	91070000	6

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1507670	328 kr.	Primera-Line Remote control set RC 2044	4007123613250	0,600 kg	85365080	1
1508030	13 kr.	Adapter With 2 Euro Sockets	4007123115785	0,042 kg	85366990	25
1508040	21 kr.	Adapter With 4 Euro Sockets	4007123115808	0,085 kg	85366990	25
1508050	25 kr.	Adapter with 2 Euro + 1 earthed sockets	4007123115822	0,108 kg	85366990	25
1508070	34 kr.	Socket with ON/OFF switch	4007123117314	0,083 kg	85365080	25
1508070001	29 kr.	Adapter with ON/OFF switch 120 pieces in a display	4007123171675	0,077 kg	85365080	120
1508100	41 kr.	Adapter with ON/OFF switch and 2 + 1 sockets	4007123248186	0,123 kg	85365080	10
1508130	20 kr.	Adapter for spare stylus	4007123020485	0,003 kg	84679900	1
1508160	144 kr.	Travel plugs with 10A fuse	4007123610235	0,314 kg	85366990	5
1508180	23 kr.	Adapter plug earthed contact 2 In Germany not allowed	4007123611201	0,083 kg	85366990	1
1508220	103 kr.	Eco Line Comfort Switch Adapter EL CSA 1 foot switch with control light	4007123636327	0,300 kg	85444290	2
1508240	21 kr.	Modelling tool, ball tip	4007123020508	0,002 kg	84679900	1
1508250	20 kr.	Modelling tool, pointed	4007123020515	0,003 kg	84679900	1
1508263	36 kr.	3-Way Adapter for Standard Sockets *GB*	4007123645855	0,095 kg	85366990	5
1508280	53 kr.	Adapter EDS 10 IP44 with ON/OFF switch for outdoor use	4007123643639	0,121 kg	85365080	10
1508280001	53 kr.	Adapter EDS 10 IP44 with ON/OFF switch for outdoor use in polybag	4007123668199	0,095 kg	85365080	10
1508440	32 kr.	Travel Adapter Earthed/Australia, China	4007123644780	0,055 kg	85366990	5
1508450	28 kr.	Travel Plug Euro Countoured plug/USA, Japan	4007123644773	0,057 kg	85366990	5
1508460	33 kr.	Travel Adapter earthed => South Africa, India	4007123566334	0,089 kg	85366990	5
1508470	29 kr.	Travel Adapter earthed => Italy	4007123600915	0,084 kg	85366990	5
1508480	29 kr.	Travel Adapter CH => earthed	4007123600922	0,074 kg	85366990	5
1508500010	43 kr.	Travel Adapter USA => Euro with 2,5A fuse	4007123645848	0,068 kg	85366990	5
1508510	23 kr.	Travel Adapter Australia, China => earthed	4007123170715	0,055 kg	85366990	5
1508520	21 kr.	Travel Adapter USA, Japan => earthed	4007123170722	0,051 kg	85366990	5
1508530	23 kr.	Travel Adapter GB => earthed	4007123170739	0,055 kg	85366990	5
1508533	32 kr.	Travel Adapter earthed => GB	4007123189717	0,070 kg	85366990	5
1508550	22 kr.	Travel Adapter earthed => USA	4007123561452	0,044 kg	85366990	5
1508590	25 kr.	Travel Adapter Italy => earthed	4007123566303	0,060 kg	85366990	5
1508642	32 kr.	Travel adapter earthed/CH with 10A fuse	4007123639113	0,069 kg	85366990	5
1951100100	216 kr.	Premium-Line extension socket 10-way black 3m H05VV-F 3G1.5	4007123624423	0,924 kg	85444290	2
1951104100	198 kr.	Premium-Line extension socket 10-way black 3m H05VV-F 3G1.5 *FR/BE*	4007123667444	0,910 kg	85444290	2
1951123601	377 kr.	Premium-Line FB Extension Socket With Safety Fuse Button 12-way 3m H05VV-F3G1.5 black	4007123663323	1,321 kg	85444290	2
1951133100	136 kr.	Premium-Line Extension Socket 3-way black 3m H05VV-F 3G1.5 with switch - SASO *GB*	4007123647934	0,722 kg	85444290	4
1951133101	163 kr.	Premium-Line Extension Socket 3-way black 5m H05VV-F 3G1.5 with switch - SASO *GB*	4007123647958	0,944 kg	85444290	4
1951140100	117 kr.	Premium-Line extension socket 4-way black 1,8m H05VV-F 3G1,5	4007123623983	0,557 kg	85444290	2
1951143100	139 kr.	Premium-Line extension socket 4-way black 1,8m 05VV-F 3G1,25 with switch *GB*	4007123627004	0,604 kg	85444290	4
1951143603	179 kr.	Premium-Line Extension Socket FB with Safety Fuse Button 4-way 3m H05VV-F3G1,5 black with 13A Fuse	4007123643059	0,815 kg	85444290	4
1951143604	188 kr.	Premium-Line Extension Socket FB with Safety Fuse Button 4-way 5m H05VV-F3G1,5 black with 13A Fuse	4007123643080	1,034 kg	85444290	4
1951144100	110 kr.	Premium-Line extension socket 4-way black 1,8m H05VV-F 3G1.5 with switch *FR/BE*	4007123627608	0,550 kg	85444290	2
1951144602	215 kr.	Premium-Line Extension Socket With USB-charger 4-way black 1,8m H05VV-F 3G1.5 *FR/BE*	4007123662968	0,660 kg	85444290	2
1951153600	262 kr.	Premium-Line FB Extension Socket with Safety Fuse Button and USB-Charger 2100mA 5-way 3m H05VV-	4007123648542	0,929 kg	85444290	4
1951160100	159 kr.	Premium-Line extension socket 6-way black 3m H05VV-F 3G1.5	4007123624140	0,770 kg	85444290	2
1951160600	240 kr.	Premium-Line Technics Extension Socket 6-way black 3m H05VV-F 3G1, 5 2 permanent, 4 switchable	4007123624522	0,857 kg	85444290	1
1951160602	258 kr.	Premium-Line Extension Socket With USB-charger 6-way black 3m H05VV-F 3G1.5	4007123662975	0,890 kg	85444290	1
1951160607	477 kr.	Premium-Line Extension Socket with USB Power Delivery & USB-charger 6-way black 3m H05VV-F 3G1.5	4007123670000	1,041 kg	85444290	1



Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1951160609	435 kr.	Premium-Line Remote-Controlled Extension Socket RC PL1 1001 6-way black/light grey 3m H05VV-F 3G1.5	4007123630349	1,170 kg	85444290	1
1951160610	570 kr.	brennenstuhl@Connect Premium-Line WiFi Extension Socket 3m H05VV-F 3G1.5 black	4007123664801	1,170 kg	85444290	1
1951163100	181 kr.	Premium-Line extension socket 6-way black 3m 05VV-F 3G1,25 with switch *GB*	4007123627264	0,836 kg	85444290	4
1951163602	208 kr.	Premium-Line Extension Socket FB with Safety Fuse Button 6-way 3m H05VV-F3G1,5 black with 13A Fuse	4007123643103	0,923 kg	85444290	4
1951163603	212 kr.	Premium-Line Extension Socket FB with Safety Fuse Button 6-way 5m H05VV-F3G1,5 black with 13A Fuse	4007123643134	1,140 kg	85444290	4
1951164100	148 kr.	Premium-Line extension socket 6-way black 3m H05VV-F 3G1.5 *FR/BE*	4007123667420	0,730 kg	85444290	2
1951164600	143 kr.	Premium-Line extension socket 6-way black 3m H05VV-F 3G1,5 with 16A fuse *FR/BE*	4007123627738	0,770 kg	85444290	2
1951164602	236 kr.	Premium-Line Extension Socket With USB-charger 6-way black 3m H05VV-F 3G1.5 *FR/BE*	4007123667468	0,840 kg	85444290	2
1951165602	280 kr.	Premium-Line Extension Socket With USB-charger 6-way black 3m H05VV-F 3G1.5 *DK*	4007123663231	0,840 kg	85444290	2
1951180100	177 kr.	Premium-Line extension socket 8-way black 3m H05VV-F 3G1,5	4007123624300	0,848 kg	85444290	2
1951183100	221 kr.	Premium-Line extension socket 8-way black 3m 05VV-F 3G1,25 with switch *GB*	4007123627028	0,995 kg	85444290	4
1951183601	244 kr.	Premium-Line Extension Socket FB with Safety Fuse Button 8-way 3m H05VV-F3G1,5 black with 13A Fuse	4007123643141	1,058 kg	85444290	4
1951183605	262 kr.	Premium-Multi-Line extension socket 8-way 2m 05VV-F 3G1,25 black with IEC-Plug 10A / 250V *GB*	4007123627042	0,995 kg	85444290	4
1951337900	151 kr.	Premium-Multi-Line extension socket 3-way 3m 05VV-F 3G1,25 black/blue *GB*	4007123626878	0,860 kg	85444290	4
1951340100	117 kr.	Premium-Line extension socket 4-way black/blue 1,8m H05VV-F 3G1,5	4007123624027	0,557 kg	85444290	2
1951344100	100 kr.	Premium-Line extension socket 4-way black/blue 1,8m H05VV-F 3G1,5 with switch *FR/BE*	4007123627622	0,557 kg	85444290	2
1951360100	159 kr.	Premium-Line extension socket 6-way black/blue 3m H05VV-F 3G1,5	4007123624188	0,770 kg	85444290	2
1951500100	216 kr.	Premium-Line extension socket 10-way black/light grey 3m H05VV-F 3G1,5	4007123624461	0,924 kg	85444290	2
1951503605	340 kr.	Premium-Line extension socket 10-way 2m 05VV-F 3G1,25 black/blue with IEC-Plug 10A / 250V *GB*	4007123627189	1,033 kg	85444290	2
1951504100	198 kr.	Premium-Line extension socket 10-way black/light grey 3m H05VV-F 3G1,5 *FR/BE*	4007123667451	0,910 kg	85444290	2
1951523600	346 kr.	Premium-Multi-Line extension socket 12-way 3m 05VV-F 3G1,25 black/light grey switchable 1x8+1x4 *GB*	4007123627127	1,340 kg	85444290	2
1951537900	171 kr.	Premium-Multi-Line extension socket 3-way 5m 05VV-F 3G1,25 black/light grey *GB*	4007123626885	0,860 kg	85444290	4
1951540100	117 kr.	Premium-Line extension socket 4-way black/light grey 1,8m H05VV-F 3G1,5	4007123624065	0,557 kg	85444290	2
1951540101	170 kr.	Premium-Line extension socket 4-way black/lightgrey 5m H05VV-F 3G1,5	4007123624102	0,892 kg	85444290	2
1951543100	139 kr.	Premium-Line extension socket 4-way black/light grey 1,8m 05VV-F 3G1,25 with switch *GB*	4007123627141	0,604 kg	85444290	4
1951543101	153 kr.	Premium-Line extension socket 4-way black/light grey 3m 05VV-F 3G1,25 with switch *GB*	4007123627288	0,604 kg	85444290	4
1951543102	187 kr.	Premium-Line extension socket 4-way black/lightgrey 5m 05VV-F 3G1,25 with switch *GB*	4007123628155	0,921 kg	85444290	4
1951543603	164 kr.	Premium-Line Extension Socket FB with Safety Fuse Button 4-way 3m H05VV-F3G1,5 black/grey with 13A	4007123643073	0,815 kg	85444290	4
1951544100	110 kr.	Premium-Line extension socket 4-way black/light grey 1,8m H05VV-F 3G1,5 *FR*	4007123627646	0,557 kg	85444290	2
1951544600	277 kr.	Premium-Line extension socket 4-way black/lichtgrau 3m H05VV-F 3G1,5 individually switchable *FR/BE*	4007123627776	0,820 kg	85444290	1
1951550600	243 kr.	Premium-Line Technics extension socket 5-way black/light grey 3m H05VV-F 3G1,5 individually switched	4007123624546	1,006 kg	85444290	1
1951553600	218 kr.	Premium-Multi-Line extension socket 5-way 3m 05VV-F 3G1,25 black/light grey switchable 1x3+2x1 *GB*	4007123627165	0,878 kg	85444290	4
1951560100	159 kr.	Premium-Line extension socket 6-way black/light grey 3m H05VV-F 3G1,5	4007123624225	0,770 kg	85444290	2
1951560101	200 kr.	Premium-Line Extension Socket 6 ways, black / light gray 5m H05VV-F 3G1, 5	4007123624263	0,920 kg	85444290	2
1951560600	208 kr.	Premium-Line Technics extension socket 6-way black/light grey 3m H05VV-F 3G1,5 every 2 sockets	4007123624508	0,921 kg	85444290	2
1951563100	181 kr.	Premium-Line extension socket 6-way black/lightgrey 3m 05VV-F 3G1,25 with switch *GB*	4007123627301	0,836 kg	85444290	4
1951563101	206 kr.	Premium-Line extension socket 6-way 5m 05VV-F 3G1,25 black/lightgrey with plug *GB*	4007123627585	1,045 kg	85444290	4
1951563601	190 kr.	Premium-Line Extension Socket FB with Safety Fuse Button 6-way 3m H05VV-F3G1,5 black/light grey with	4007123643110	0,925 kg	85444290	4
1951564100	148 kr.	Premium-Line extension socket 6-way black/light grey 3m H05VV-F 3G1,5 *FR/BE*	4007123667437	0,730 kg	85444290	2
1951580100	178 kr.	Premium-Line extension socket 8-way black/light grey 3m H05VV-F 3G1,5	4007123624348	0,830 kg	85444290	2
1951580101	217 kr.	Premium-Line extension socket 8-way black/light grey 5m H05VV-F 3G1,5	4007123624386	1,020 kg	85444290	2
1951583100	221 kr.	Premium-Line extension socket 8-way black/lightgrey 3m H05VV-F 3G1,25 with switch *GB*	4007123627325	0,995 kg	85444290	4
1951740100	117 kr.	Premium-Line extension socket 4-way black/bordeaux 1,8m H05VV-F 3G1,5	4007123624003	0,557 kg	85444290	2
1951744100	100 kr.	Premium-Line extension socket 4-way black/bordeaux 1,8m H05VV-F 3G1,5 with switch *FR/BE*	4007123627684	0,563 kg	85444290	2
1951760100	159 kr.	Premium-Line extension socket 6-way black/bordeaux 3m H05VV-F 3G1,5	4007123624164	0,770 kg	85444290	2

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
1952200100	<b>216 kr.</b>	Premium-Line extension socket 10-way white 3m H05VV-F 3G1,5	4007123624409	0,924 kg	85444290	2
1952240100	<b>117 kr.</b>	Premium-Line extension socket 4-way white 1,8m H05VV-F 3G1,5	4007123623969	0,557 kg	85444290	2
1952244100	<b>110 kr.</b>	Premium-Line extension socket 4-way weiss 1,8m 05VV-F 3G1,25 with switch *FR/BE*	4007123627660	0,553 kg	85444290	2
1952260100	<b>159 kr.</b>	Premium-Line extension socket 6-way white 3m H05VV-F 3G1,5	4007123624126	0,770 kg	85444290	2
1952280100	<b>177 kr.</b>	Premium-Line extension socket 8-way white 3m H05VV-F 3G1,5	4007123624287	0,830 kg	85444290	2
1955133100	<b>136 kr.</b>	Premium-Line Extension Socket 3-way light grey/black 3m H05VV-F 3G1.5 with switch - SASO *GB*	4007123647941	0,724 kg	85444290	4
1955500100	<b>216 kr.</b>	Premium-Line extension socket 10-way light grey 3m H05VV-F 3G1,5	4007123624447	0,940 kg	85444290	2
1955540100	<b>117 kr.</b>	Premium-Line extension socket 4-way light grey 1.8m H05VV-F 3G1.5	4007123624041	0,557 kg	85444290	2
1955543100	<b>139 kr.</b>	Premium-Line extension socket 4-way light grey 1,8m 05VV-F 3G1,25 with switch *GB*	4007123627486	0,604 kg	85444290	4
1955560100	<b>159 kr.</b>	Premium-Line extension socket 6-way light grey 3m H05VV-F 3G1,5	4007123624201	0,770 kg	85444290	2
1955563100	<b>181 kr.</b>	Premium-Line extension socket 6-way 3m 05VV-F 3G1,25 lightgrey with plug *GB*	4007123627509	0,836 kg	85444290	4
1955580100	<b>177 kr.</b>	Premium-Line extension socket 8-way light grey 3m H05VV-F 3G1,5	4007123624324	0,830 kg	85444290	2
1955583100	<b>221 kr.</b>	Premium-Line extension socket 8-way 3m 05VV-F 3G1,25 lightgrey with plug *GB*	4007123627523	0,995 kg	85444290	4
2078187004	<b>184 kr.</b>	Compact Cable reel 15m H05VV-F 3G1.0 *CN*	4007123610099	2,430 kg	85444290	4
2092107010	<b>159 kr.</b>	Vario Line Cable Box 3-way black/blue 5m H05VV-F 3G1.0 *CN*	4007123655960	0,740 kg	85444290	5
2095357	<b>137 kr.</b>	Primera-Line Box 4way, black/light grey 5m H05VV-F3G1.0 *CN*	4007123610044	1,530 kg	85444290	5
2095457	<b>162 kr.</b>	Primera-Line Box 4way, black/light grey 10m H05VV-F3G1.0 *CN*	4007123610051	1,470 kg	85444290	2
2102157010	<b>259 kr.</b>	Vario Line Cable Box 3-way black/blue 15m H05VV-F 3G1.0 *CN*	4007123655977	1,751 kg	85444290	5
2103467	<b>127 kr.</b>	Vario Line Cable Box black/blue 10m H05VV-F 3G1.0 *CN*	4007123610068	1,320 kg	85444290	5
2103467010	<b>195 kr.</b>	Vario Line Cable Box 3-way black/blue 10m H05VV-F 3G1.0 *CN*	4007123655953	1,320 kg	85444290	5
2109227	<b>78 kr.</b>	Comfort Line CL-S Cable Box black/white 3m H05VV-F 3G1.0 *CN*	4007123610075	0,565 kg	85444290	4
2109237	<b>78 kr.</b>	Comfort Line CL-S Cable Box black/blue 3m H05VV-F 3G1.0 *CN*	4007123610082	0,560 kg	85444290	4
2198057	<b>305 kr.</b>	Garant S Cable reel 25m H05VV-F 3G1.0, black *CN*	4007123610129	3,700 kg	85444290	1
2198057015	<b>504 kr.</b>	Garant S Cable reel 25m H05VV-F 3G1.5, black *CN*	4007123646517	3,700 kg	85444290	1
2208067	<b>404 kr.</b>	Garant cable reel 50m H05VV-F 3G1,0 *CN*	4007123610112	6,496 kg	85444290	1
2208067015	<b>707 kr.</b>	Garant cable reel 50m H05VV-F 3G1,5 *CN*	4007123646500	6,496 kg	85444290	1
2218057	<b>261 kr.</b>	Garant Cable reel 25m H05VV-F 3G1.0 *CN*	4007123610105	3,793 kg	85444290	1
2218057010	<b>385 kr.</b>	Garant Cable reel 240 3-way sockets 25m H05VV-F3G1.0 socket with thermostat *CN*	4007123655632	3,793 kg	85444290	1
2218057015	<b>443 kr.</b>	Garant Cable reel 25m H05VV-F 3G1.5 *CN*	4007123646494	3,793 kg	85444290	1
2391007114	<b>121 kr.</b>	Premium-Alu-Line Steckdosenleiste 4 way silver/black 1.5m H05VV-F 3G1.0 *CN*	4007123652150	0,651 kg	85444290	2
2391007116	<b>168 kr.</b>	Premium-Alu-Line Extension Socket 6 way silver/black 2.5m H05VV-F 3G1.0 *CN*	4007123650071	0,866 kg	85444290	2
2391007118	<b>198 kr.</b>	Premium-Alu-Line Extension Socket 8 way silver/black 2.5m H05VV-F 3G1.0 *CN*	4007123650088	1,004 kg	85444290	2
2391007414	<b>365 kr.</b>	Premium-Protect-Line 45000A extension socket with surge protection and HF Filter, 4 way, black/silver, 2.5m	4007123645152	0,974 kg	85444290	4
2951147100	<b>101 kr.</b>	Premium-Line Extension Socket 4 way black, 1.5m H05VV-F 3G1.0 *CN*	4007123645206	0,490 kg	85444290	6
2951147400	<b>316 kr.</b>	Premium-Line 45000 A Extension Socket With Surge Protection, 4 way, black, with Filter, 2.5m H05VV-F	4007123645169	0,701 kg	85444290	4
2951167100	<b>130 kr.</b>	Premium-Line Extension Socket 6way black 2.5m H05VV-F3G1.0 *CN*	4007123645176	0,657 kg	85444290	8
2951187100	<b>152 kr.</b>	Premium-Line Extension Socket 8 way black, 2.5m H05VV-F 3G1.0 *CN*	4007123645190	0,730 kg	85444290	4
2951547100	<b>101 kr.</b>	Premium-Line Extension Socket 4 way black/light grey 1.5m H05VV-F 3G1.0 *CN*	4007123645183	0,479 kg	85444290	6
2951567100	<b>130 kr.</b>	Premium-Line Extension Socket 6 way black/light grey, 2.5m H05VV-F 3G1.0 *CN*	4007123649990	0,639 kg	85444290	8
2955147100	<b>105 kr.</b>	Premium-Line Extension Socket 4 way light grey/black 1.5m H05VV-F 3G1.0 *CN*	4007123650040	0,479 kg	85444290	6
2955167100	<b>136 kr.</b>	Premium-Line Extension Socket 6 way light grey/black 2.5m H05VV-F 3G1.0 *CN*	4007123650057	0,639 kg	85444290	8
2955187100	<b>159 kr.</b>	Premium-Line Extension Socket 8 way light grey/black 2.5m H05VV-F 3G1.0 *CN*	4007123650064	0,657 kg	85444290	4
3078187004	<b>302 kr.</b>	Compact Cable Reel AK 180 15 m H05VV-F 3G1,5 *IN*	4007123609635	2,190 kg	85444290	4
3092207	<b>156 kr.</b>	Vario Line black 5 m H05VV-F 3G1,5 *IN*	4007123609611	0,915 kg	85444290	5
3093207	<b>213 kr.</b>	Vario Line black 10 m H05VV-F 3G1,5 *IN*	4007123609628	1,650 kg	85444290	5

Varenr.	Salgspris	Beskrivelse	Stregkode	Bruttovægt	Toldkode	Emb.
3095457	<b>248 kr.</b>	Primera-Line Box 3-way black/ lightgrey 10m, H05VV-F3G1,5 *IN*	4007123609604	1,870 kg	85444290	2
3155117014	<b>128 kr.</b>	Premium-Line extension socket 4-way black 1,8m H05VV-F 3G1,5 *IN*	4007123609772	0,560 kg	85444290	3
3155157014	<b>129 kr.</b>	Premium-Line extension socket 4-way black/light grey 1,8m H05VV-F 3G1,5 *IN*	4007123609765	0,530 kg	85444290	3
3155517014	<b>130 kr.</b>	Premium-Line extension socket 4-way light grey/black 1,8m H05VV-F 3G1,5 *IN*	4007123609758	0,560 kg	85444290	3
3155557014	<b>129 kr.</b>	Premium-Line extension socket 4-way light grey 1,8m H05VV-F 3G1,5 *IN*	4007123610792	0,644 kg	85444290	3
3198057	<b>499 kr.</b>	Cable Reel Garant S 3 25 m H05VV-F 3G1,5 with safety cut out *IN*	4007123609666	4,495 kg	85444290	1
3198067	<b>757 kr.</b>	Cable Reel Garant S 3 50 m H05VV-F 3G1,5 with safety cut out *IN*	4007123609673	7,320 kg	85444290	1
3208067	<b>706 kr.</b>	cabl reel Garant 290 50 m H05VV-F 3G1,5 *IN*	4007123609659	6,650 kg	85444290	1
3218057	<b>442 kr.</b>	Cable Reel Garant 240 25 m H05VV-F 3G1,5 *IN*	4007123609642	3,900 kg	85444290	1
3391007014	<b>163 kr.</b>	Premium-Alu-Line extension socket 4-way 1,8m H05VV-F 3G1,5 *IN*	4007123609789	0,840 kg	85444290	3